ENVIRONMENTAL PROTECTION AGENCY MOTIS DATA MANAGEMENT RYSTEM

PAGE: 209 REPORT DATE: 10/14/91

| | PAGE: 209 |
|--|---|
| NOTIS REPORT #4 | LISTING BY FACILITY REPORT DATE: 10/14/81 REGION: 05 STATE: MI |
| | MEGIONI 03 SIAIFI FI |
| NOTIFICATION SITE NAME | |
| NOTIFICATION SITE NAME. ID NO. SITE STREET | NOTIFIER NAME NOTIFIER STATUS NOTIFIER STREET (PRES OWN, PAST OWN |
| SITE CITY | NOTIFIER CITY STATE ZIP PRES UP, PAST UP |
| SITE COUNTY | (CONTACT NAME/TITLE) TRANSPORTER, |
| EPA SITE ID NO | (CONTACT PHONE) VOLUNTEER) |
| | |
| MIROCOCO1202 STEEL & TUBES, DIVFE | |
| 965 WANDA AVE. FERNDALE | 48220 PRES OF |
| | (LENNOX, DENNIS, PLANT ENGINEER) |
| MID005515705 | (313-398-1600) |
| | |
| RELEASES TO THE ENVIR | ONMENT'S NONE DATES OF WASTE HANDLINGS 1929 TO 1979 |
| RELEASES TO THE ENVIR | |
| | |
| WASTE AMOUNTS | 1.300 CU FT AREA' 10,000 SQ FT HAP PRESENT! NO FORM TYPE! 8900-1 |
| | |
| *************************************** | |
| | |
| STATE OF THE STATE | |
| | EI 81/06/08 SIÇNATURE PRESENTI YES DATE OF LAST UPDATE: 81/09/25 |
| NOTIF, POSTMARKED DAT | EI 81/06/08 SIÇNATURE PRESENTI YES DATE OF LAST UPDATE: 81/09/25 |
| NOTIF' POSTMANKED DAT | E 81/06/08 SIGNATURE PRESENT! YES DATE OF LAST UPDATE: 81/09/25 |
| NOTIF, POSTWARKED DAT | E 81/06/08 SIGNATURE PRESENT! YES DATE OF LAST UPDATE: 81/09/25 |
| NOTIF, POSTMARKED DAT | E 81/06/08 SIGNATURE PRESENT: YES DATE OF LAST UPDATE: 81/09/25 TYPES OF WASTES |
| NOTIF. POSTMARKED DAT TYPE OF FACILITY. OTHER-(SEE COMMENTS) | EI 81/06/08 SIÇNATURE PRESENTI YES DATE OF LAST UPDATE: 81/09/25 TYPES OF WASTES |
| NOTIF, POSTMARKED DAT | E 81/06/08 SIÇNATURE PRESENTI YES DATE OF LAST UPDATE: 81/09/25 TYPES OF WASTES |
| NOTIF, POSTMARKED DAT TYPE OF FACILITY OTHER-(SEE COMMENTS) LANDFILL TANKS | TYPES OF WASTES ORGANICS PLATING/POLISHING OTHER=(SEE COMMENTS) |
| NOTIF, POSTMARKED DAT TYPE OF FACILITY OTHER (SEE COMMENTS) LANDFILL TANKS | E 81/06/08 SIÇNATURE PRESENT! YES DATE OF LAST UPDATE: 81/09/25 TYPES OF WASTES ORGANICS INDRGANICS OTHER OTHER |
| NUTIF, POSTMARKED DAT TYPE OF FACILITY OTHER-(SEE COMMENTS) LANDFILL TANKS | TYPES OF WASTES ORGANICS INDRGANICS OTHER |
| NOTIF, POSTMARKED DAT TYPE OF FACILITY OTHER (SEE COMMENTS) LANDFILL TANKS | E 81/06/08 SIÇNAŢURE PRESENTS YES DATE OF LAST UPDATES 81/09/25 TYPEŞ OF WASTES ORGANICS INORGANICS OTHER (SEE COMMENTS) COMMENTS COMMENTS SEO NO. |
| NOTIF, POSTWARKED DAT TYPE OF FACILITY. OTHER-(SEE COMMENTS) LANDFILU TANKS | TYPES OF WASTES SEO NO. COMMENTS SEO NO. |
| NUTIF, POSTWARKED DAT TYPE OF FACILITY. OTHER-(SEE COMMENTS) LANDFILU TANKS | THIS SITE HAS BEEN USFD FOR DISPOSAL OF 2 SLUDGE FROM HILL COOLANT TANKS, WASH 20 14 1709 175 2 3 1409 175 1709 175 1709 175 1709 175 175 175 175 175 175 175 175 175 175 |
| NUTIF, POSTWARKED DAT TYPE OF FACILITY. OTHER (SEE COMMENTS) LANDFILD TANKS | TYPES OF WASTES ORGANICS INDRCANICS OTHER COMMENTS COMMENTS THIS SITE HAS BEEN USFD FOR DISPOSAL OF 2 SUUGE FROM MILL COOLANT TANKS, MASH 3 TANKS, AND A MON-CYANIDE ZINC PLATING 4 TANK, THE COOLANT TANK SUUGES CONSTST 5 |
| NUTIF, POSTUARKED DAT TYPE OF FACILITY. OTHER (SEE COMMENTS) LANDFILD TANKS | TYPES OF WASTES ORGANICS INDRGANICS OTHER COMMENTS COMMENTS TANKS, AND A NON-CYANIDE ZINC PLATING TANK, THE COOLANT TANKS, WASH TANKS, AND A NON-CYANIDE ZINC PLATING TANK, THE COOLANT TANK SUDGES CONSIST OF WATER, OIL, STEEL SHAVING AND DIPT. 6 |
| NUTIF, POSTWARKED DAT TYPE OF FECILITY OTHER (SEE COMMENTS) LANDFILD TANKS | TYPES OF WASTES ORGANICS INDRGANICS OTHER COMMENTS COMMENTS COMMENTS TANKS, AND A NON-CYANIDE ZINC PLATING TANKS, AND A NON-CYANIDE ZINC PLATING THE HASH TANK SUDGES CONSIST OF WATER, OIL, STEEL SHAVING AND DIRT. THE HASH TANK SUDGES A SOLD GREESE THE HASH TANK SUDGES TA SOLD GREESE THE HASH TANK SUDGES A SOLD GREESE THE HASH TANK SUDGES TO A SOLD GREESE THE HASH TANK SUDGES TO A SOLD GREESE THE HASH TANK SUDGES TO A SOLD GREESE |
| NUTIF, POSTMARKED DAT TYPE OF FACILITY OTHER (SEE COMMENTS) LANDFILD TANKS | TYPES OF WASTES COMMENTS COMMENTS COMMENTS TANKS, AND A NON-CYANIDE ZINC PLATING TANK, THE COOLANT TANKS, WASH TANK, THE COOLANT TANK SUUGES COUSTST OF WATER, OIL, STEEL SHAVING AND DIPT. THE HASH TANK SLUDGE IS A SOLID GREESE MATERIAL MIXED WITH SOLVENT. THE ZINC 8 COURCES OF WASTE SEQ NO. SEQ NO. 2 STUNGE FROM MILL COOLANT TANKS, WASH TANKS, AND A NON-CYANIDE ZINC PLATING TANK, THE COOLANT TANK SLUDGES COUSTST OF WATER, OIL, STEEL SHAVING AND DIPT. 6 THE HASH TANK SLUDGE IS A SOLID GREESE 7 MATERIAL MIXED WITH SOLVENT. THE ZINC 8 |
| NOTIF, POSTMARKED DAT TYPE OF FACILITY OTHER-(SEE COMMENTS) LANDFILL TANKS | TYPES OF WASTES |
| NOTIF, POSTMARKED DAT TYPE OF FACILITY OTHER (SEE COMMENTS) LANDFILD TANKS | TYPES OF WASTES ORGANICS IMPROGRATICS OTHER COMMENTS COMMENTS COMMENTS COMMENTS COMMENTS COMMENTS SEC NO. THIS SITE HAS BEEN USFD FOR DISPOSAL OF 2 SLUDGE FROM MILL COOLANT TANKS, WASH 3 TANKS, AND A NON-CYANIDE ZINC PLATING 4 TANKS, THE COOLANT TANK SLUDGES COPETST 5 OF WATER, OIL, STREL SHAVING AND DIRT. 6 THE HASH TANK SLUDGE TA A SOLD GREESE 7 MATERIAL MIXED WITH SOLVENT. THE ZINC 8 PLATING SLUDGE DUES MOT CONTAIN CYANIDE 9 |

| Application No. | | | | | The second second second | | |
|--|---------------|--|-------------|-----------------------------------|--------------------------|------------|-------------------|
| Application No. | 252-81 | 1 | | WQD notified | Yes (No | | |
| 22 | 711 | + | . 0 0 | | | ~ | |
| E.I. No. <u>B3</u> | 1110 | - OV | ersight | Other | ics (in | | |
| Const. Commence | ed! Yes TRE | g. Egr. noti | illed) - No | NECHARCS V | os (Coord or | eisiad) | No |
| NSPS? Yes (Co Source Descripti | ord notified) | No | 1-11 | NESHAPS? Y | Dame's No | 277 | -61 |
| Source Descripti | on (Installa | tion date | , , |) (Covered by | Permit No. | 253 | ×4-, |
| Lime | stora | ge, | bin | -28 tor nk be | 1 capi | auli | _ |
| 00 > | 1.12 2- | | 2 +0 | 22 120 | lm | _ ' | |
| Ju | and i | MXIM | 5 | | 1 | | - with |
| | Itoras | e bi | n i | , filled | onc | e u | moran |
| | 0 | | | U | | | |
| | | | | | | | |
| | 0 1- | 1 | | top of | lled | by | a |
| Control Descript | ion A | J. 109 | n n | , corara | 10 | 00. | |
| In ol. | TLAR | an . | the | top of | - the | LAV | |
| bugha | 0 | 11 | | 0 - 102 | | | |
| mol. | clot | h a | rea | 85 H | | | |
| 64 | and ou | · Uo | or k | 50 Jm | | | |
| S | | oc fic | 1 1 | 30 91.0 | | | |
| | 3 | 200 | Alc | C: 7.64 | for | | |
| | | | | , , , |) 1 | | |
| Atta | nment Statu | s TSP SO | , co o, | | | | |
| | nment | INTA | A | P - Primary | S - Se | condary | |
| | Attainment | | I | A - All Standar * Close to Non | | nclassifie | d |
| Non- | retarriment | | 1 17 | | | | |
| Pla | nt Totals (TI | A STATE OF THE PARTY OF THE PAR | | Equipment cover | | | |
| | o Pot. | Allowed) | Uncon. | Expected | Allowa | Die | |
| Potent | | 112-21-761 | PPH | PPH TPY | | TPY | Limit |
| | ial (5 years) | 12-21-76 | PPH | PPH TPY | PPH | TPY | Limit O:1/ionalla |
| TSP | | 12-21-76 | PPH | PPH TPY | | 1.28 | 0.1/1000ll |
| TSP -SO ₂ | | 12-21-76 | PPH | PPH TPY | PPH | | |
| TSP SO ₂ CO | | 12-21-76 | РРН | PPH TPY | PPH | | |
| TSP SO ₂ CO NO _x | | 12-21-76 | РРН | PPH TPY | PPH | | |
| TSP SO ₂ CO | | 12-21-76 | PPH | PPH TPY | PPH | | |
| TSP SO ₂ CO NO _x | | 12-21-76 | PPH | PPH TPY | PPH | | |
| TSP SO ₂ CO NO _x VOC | ial (5 years) | | | PPH TPY <0.3 <1.28 | РРH 0·3 | 1.28 | 0.1/1000W |
| TSP SO ₂ CO NO _x VOC | ial (5 years) | | | PPH TPY <0.3 <1.28 | РРH 0·3 | 1.28 | 0.1/1000W |
| TSP SO ₂ CO NO _x VOC | ial (5 years) | | | PPH TPY <0.3 <1.28 | РРH 0·3 | 1.28 | 0.1/1000W |
| TSP SO ₂ CO NO _x VOC | ial (5 years) | | | PPH TPY <0.3 <1.28 | РРH 0·3 | 1.28 | 0.1/1000W |
| TSP SO ₂ CO NO _x VOC | ial (5 years) | | | PPH TPY | РРH 0·3 | 1.28 | 0.1/1000W |
| TSP SO ₂ CO NO _x VOC | ial (5 years) | | | PPH TPY <0.3 <1.28 | РРH 0·3 | 1.28 | 0.1/1000W |
| TSP SO ₂ CO NO _x VOC | ial (5 years) | | | PPH TPY <0.3 <1.28 | РРH 0·3 | 1.28 | 0.1/1000W |
| TSP SO ₂ CO NO _x VOC | ial (5 years) | | | PPH TPY <0.3 <1.28 | РРH 0·3 | 1.28 | 0.1/1000W |

Reviewed by: Dryman GelDate: 5-25-84

| Production Rate Confidential Normal | | Maximum | |
|--|------------------------------------|----------|--------------------|
| Normal Operating Schedule Confidential | | Days/Wk | Wks/Year 52 |
| Maximum Allowable Operating Schedule Hour | 1 | Days/Wk | |
| Fuel type Usage Heat | Content | % Sulfur | % Ash |
| Collector Bypass Yes No Reasons - Condition | ons | | |
| Name of the second seco | | | |
| Process/Control Waste and Disposal | essel | | |
| Stack, Building & Dispersion Paramaters Idg. 25 + 30" \tag{30"} L. L. 32 Dispersion Yes (No) Comments: | | | |
| Emission Calculations allowed emi = 6 = (= 1 | 50 x 0.075 0.3 lbs/h .28 tpg | x60x0. | +X10 ⁻³ |

DEPARTMENT OF NATURAL RESOURCES AIR QUALITY DIVISION PERMIT ACTIVITY REPORT

| To: The Making of Marine | Chala APPLICATION NO. |
|--|--|
| ESTABLISHMENT | DUNTY, ESTABLISHMENT NO. NEW |
| POUIFMENT LOCATION DIS | STRICT DATE MM DD YY |
| 9/05 Mondo Aug Frandolo | 3 Porting 5/1/84 |
| REGARDING: PERMIT TO INSTALL WITH SITE EVALUATION PERMIT TO OPERATE | PLEASE REPLY BY |
| PERMIT ENGINEER COMMENTS: | 3/18/07 |
| PENMIT ENGINEER COMMENTS. | The state of the s |
| | |
| | |
| | |
| COMPLIANCE BRANCH REMARKS: | |
| | annual 1 |
| 1 Daw Harris | a soblemo wim |
| inspection in December 1983. No | the bound |
| The site, although I did not bee | J. Deins |
| The part, autor | The following |
| The site, although I sid non I with filled. Recommend pto I with | |
| M. A. Santa and Co. C. | |
| Condition | Viend and Million View |
| 42: VES 620% | 201/1649/10 |
| 76 | 2771 |
| 1 1 1 1 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | X COLOR |
| | - Maria |
| The Company of the Co | The Market of the State of the |
| | 2 2 4 |
| | |
| A Transfer of the second of th | 177 |
| | |
| | |
| | 11 |
| 0 7 0 1 | J |
| of the second | |
| COMPLIANCE BRANCH RECOMMENDATIONS: | The state of the s |
| TAX EXEMPTION APPROVAL OPERATING APPROVAL SPECIAL CONDITIONS NO | DENIAL AS EXPLAINED |
| Sa 1 for 5.4.84 | DISTRICT ENGINEER |
| DISTRIBUTION: White — Division Office; Carriary Permit File; Pink — District Office; Goldenrod — Tempor | INITIALS MAG |

| Site Name | Republic Steel | Corp Steel & Tubes |
|-----------|----------------|--------------------|
| | Oakland- | |

CALL LOG

Verify Site Location and Size.

Verify # and size of each containment structure.

Is there existing exposure of people documented?

Is the site fenced? Is it secure?

If sampling was done, how were samples collected? i.e. random selective, surface grab, composite etc..

Has the fire marshall considered the site a fire hazard?

What type of companies used the site? (Origin of chemicals)

AGENCY DATE PHONE NUMBER DAKLAND CO. POLLUTION CONTROL (319 547-1195 Charles Metinnon 18/87 high amounts of eine in (313)544-4694 nastes put through sever system-ner WWT system on site - senos effluent to Detroit no knowledge of problems from on-site filling

8/18/87 MONI WASTE MGT NORTHUILLE

(313)344-4670

1/8/87 (313) 344-4670

1/8/87 (313) 858-1280 Gary Fricke

will return call

ho information at OCHD on this site

8/3/87 City Of Madison Herghts (313) 547-6000 Frank Luxon Ferndale

referred to Oakland Co. Pollation Control - currently gite is discharging high levels of heavy metals into sewer.

Prepared by: 1). Courtney

Ref # REDIBLIC STEEL CORD. Site Name WAYNE
MID # 005515705

Site Name Republic STEEL COOP STEEL TUBES

County WAYNE

CALLLOG

1) Verify Site Location and Size.

Verify # and size of each containment structure.
 Is there existing exposure of people documented?

4) Is the site fenced? Is it secure?

5) If sampling was done, how were samples collected? i.e. random selective, surface grab, composite etc..

6) Has the fire marshall considered the site a fire hazard?

7) What type of companies used the site? (Origin of chemicals)

PHONE NUMBER PERSON CONTACTED AGENCY DATE MDPH-Sputufield 2-3 13:3) 424 - 7187 Bill CARISON Bill Stated trust the ontire area is on a municipal water supply. - any use of private wells would more than likely for to enighten purposes. City of DETROIT - FORESTRY DEDT. 2.3 STATED that the pond in Palman PARK 15 Not inchabited by From, but is used for buttery by youth (Not set up for this purpose) HAZEL PARK RACE TRUCK 2-15 (33)398 - 1003 - Stated that well was No longer used for inigation purposes - water supply from the City. - wasn't some of well was Still en operation for other uses.

| • Ref # | _4_ |
|-----------|---------------------|
| **te Name | Republic STEEL CLOS |
| MID # | 05515705 |

WATER WELL RECORD ACT 294 PA 1965

| MICHIGAN DEPARTMENT | | | | | | | | | | |
|---------------------|--|--|---|--|--|--|--|----------|--|--|
| | | | l | | | | | <u> </u> | | |

| | | · | | PODUC REACTION |
|---|---------------------------------------|--|--|---|
| Cakland | Twp Royal Oak | • | Fraction NEW N | E14 NE14 25 Tawn Range |
| Distance And Direction from Roa | d Intersections | WNER No | | 3 OWNER OF WELL Park Racing Assoc. Inc. |
| ļ | 10 Mile and Dequi |) | Address 650 E. 10 Mile Road Hazel Park, Michigan | |
| Street address & City of Well Lac | cation | | | |
| 2 FORMAT | ION | THICKNESS OF STRATUM | BOTTOM OF STRATUM | 145 ft. 2-23-67 |
| F1:11 | | 19* | 19• | 5 😾 Cable tool: 🔲 Rotary 🔛 Driven 🛄 Dug Hollow rod 🔲 Jetted 🐪 Bored 🔲 🖳 |
| Gray Clay | | 65* | 84. | 6 USE: Domestic Public Supply Industry Irrigation |
| Hardpan | | 130 | 971 | 7 CASING: Threaded & Welded Height: Above/Balous |
| Clav | | 12* | 109* | 6 in. to 1343 ft. Depth surface 6 ft. Weight 19.45 bs/ft. |
| | | | | in. toft. Depth Drive Shoe? Yes A No |
| Putty Sand | | 12* | 121. | 8 SCREEN: Typ-Johnson Stainless Die.: 6* |
| Hard Clay | | 11. | 132° | top 5* #10 |
| Fine Sand | | 6• | 138* | Stock 5 # 95 Length 10 Set between 131 ft. and 145 ft. |
| Coarse Sand | | 7* | 145° | Fittings: 5" xx 23" mipple |
| | | _ | | 9 STATIC WATER LEVEL |
| _ | | | | 10 PUMPING LEVEL below land surface 117 ft. after 16 hrs. pumping 50 g.p.m. |
| | | , | | ft. afterhrs. pumpingg.p.m. |
| | | | | II WATER QUALITY in Parts Per Millian: Iron (Fe) 2.0 Chlorides (CI) 85.5 |
| | | | | Hardness 68.4 |
| · | | | | 12 WELL HEAD COMPLETION: In Approved Pit |
| • | · . | | | 13 GROUTING: Well Grouted? Yes I No |
| | | | | Material: Neat Cement Depth: Fromft. |
| | | | | 14 SANITARY: UNKOWN |
| | | | | Negrest Source of possible contamination feetDirectionType |
| | | | | Well disinfected upon completion → Yes No |
| | | <u> </u> | | Manufacturer's Name Jacuzzi |
| • | , | The same of the sa | | Madel Number 2S6A5T HP 2 Length of Drop Pipe 117 ft. capacity 15 G.P.M. |
| | · · · · · · · · · · · · · · · · · · · | | | Type: X Submersible |
| 16 Remarks, elevation, source of | data, etc. | • | 17 WATER | WELL CONTRACTOR'S CERTIFICATION: |
| | • | | This well | I was drilled under my jurisdiction and this report is true st of my knowledge and belief. |
| DED INFO. BY DRILLER, ITEM NO. | | | ٥ | O. Corsett Inc. 0025 |
| RRECTED DY: | | | 'Address_ | 7.707 ** 77.167 |
| LIDHIGH AND | 2 186 | | Signed | Wen Date Date 13, 1967 |
| | | | • | ' |


| GEOLOGICAL SURVEY SAMPLE No. | | | |
|--|--------------------------|----------------------|--|
| | WATER WE | | memoral services |
| | ACT 294 | PA 1965 | -7 SUP. FLAT # 2 PUBLIC HEALTH |
| I LOCATION OF WELL County Twp. | 70 | Fraction | ## Section No. Town - Range |
| MACOMB WARREN | / | | : "NE" 30 / N/B. 12 E/A. |
| Distance And Direction from Road Intersections | | 200 | 3 OWNER OF WELL: |
| , and an activity of the control of | | | ARNOLD FULLER |
| JH 78H THOMAS WARRED | ع المررك | 77 | DET. MICH. |
| | THICKNESS | ОЕРТН ТО | 4 WELL DEPTH: (completed) Date of Completion |
| 2 FORMATION | OF STRATUM | BOTTOM OF STRATUM | 119 11-26-66 |
| | 7 | 12/ | 5 Cable tool Ratary Driven Dug |
| FILL | 12 | <u>_</u> | 6 USE: Damestic Public Supply Industry |
| CIUE CLAY | 18 | 70 | ☐ Irrigation ☐ Air Conditioning ☐ Commercial |
| | | | Test Well |
| CAS MUD HOLE | | 71 | 7 CASING: Threaded Welded Height: Above/Below |
| Linea Paris | 21 | 92 | in. toft. Depth surfaceft. |
| HARD FAX | | 1 2 | |
| SAKOV CIAV | 20 | 112 | 8 SCREEN: |
| | | | Type: JOHNSON STATE H |
| FINE CLEAN SAND | <i>H</i> | 112 | Slat/GauzeLength |
| The state of the s | 1 1 | \$17 | Set berween: 10 tr. and |
| COARSE | - 2 - F 2 - | 11/ | (a) 7/3 7/7 |
| FIRE 1, 14) | 12 | 119 | Fittings: |
| | | | 9 STATIC WATER LEVEL |
| DIRTY FINE SAND | + | | 10 PUMBRIG LEVEL below land surface |
| <i>y</i> | | | |
| | | | 674 ft. after 3 hrs. pumping , 3 a.p.m. |
| | | | ft. afterhrs. pumpingg.p.m. |
| | | | 11 WATER QUALITY in Parts Per Millian: |
| | | - | Iron (Fe)Chlorides (CI) |
| | | | Hardness |
| | • | | 12 WELL HEAD COMPLETION: In Approved Pit |
| | | | Pirless Adupter 12" Above Grade |
| | | , | 13 GROUTING: Well Grouted? Yes No |
| | | | Material: Neat Coment |
| | | · . | Depth: Framft. taeft. |
| · · · · · · · · · · · · · · · · · · · | * | | I4 SANITARY: Nearest Source of possible contamination |
| | | | Sieet Direction Type |
| | | ; | Well disinfected upon completion Yes No |
| | | ÷ | 15 PUMP: |
| | | | Manufacturer's Name 1759 - 54CK- |
| | | \ | Length of Drop Pipe (2) (ft. capacityG.P.M. |
| | + | | Type: Submersible |
| | | | ☐ Jet ☐ Reciprocating |
| 16 Remarks, elevation, source of data, etc. | | _ | VELL CONTRACTOR'S CERTIFICATION: |
| ACUED 1740. BY UNTILLER, ITEM NO. | | | was drilled under my jurisdiction and this report is true st of my knowledge and belief. |
| MICODECTED AND | | Par | of in Gold Manage |
| CUORRECTED SYS | | 1"7" | EISTENED SUBJESS NAME 1 2.40 - A RECESTIANTON TO. |
| **ADDITION BY: KTD 2/6/67 | | Address. | THO FALORINA WARRIED |
| | | Signed | HTHOSELER BERESENTATOR |
| D67D 100M 6-56 1/4 | | 1 | a yaya ana ana ana ana ana ana ana ana a |
| 717 ·) | OLOGICA | L SURVE | Y COPY |


DEWATERING WELL RECORD

| TrLOCATION OF WELL | DEW | ATERING V Act 218, I | WELL RECORD P.A. 1972 | | | IIGAN DEPARTMENT OF UBLIC HEALTH |
|---|--|-------------------------|---------------------------------|------------------------|--------------------|--|
| . County Township Nam | | Fra | ction | Section Number | Town Number | Range Number |
| OAKLAND ROY | AL OAK | ! | SE" SE " NW " | 21 | 1-N N/S. | 11-E E/W. |
| STARTING POINT: | | _ | LOCATION: | | _ | |
| Distance and Direction from Nearest Roa | d Intersection | | From Eng. Plan | Sheet No | | |
| | | | | | , | |
| 60 WEST OF KENILWORT | H ST AT | _ | Other: | | | · |
| WOODWARD AVE. (CITY OF | F ROYAL OAK | () | | | | • |
| | · ···································· | | Engineering Firm: | MICH DEPT | OF TRANS | _ |
| Locate with "X" in section below Sketch N | lap: | MIDO | | | | |
| | | WOL. | PROJECT OWNER | MICHIGAN DE | PT. OF TRANS | PORTATION |
| | KENIE | WORTH | | | | |
| | | | Address:27436 1 | HOUND RD., N | ARREN, MI 4 | 8092 |
| w | 1 1866 | N. P.C. | | | | • |
| | 4 | رمے | Project Name: | I 63102 - 2 | 2645A | |
| + + ⁿ M'. | 2, | ₹ _e | 1 | | | |
| | | \ \ | Type of Sev | wer LJP | umping Station | • |
| S MILE | | • | Project | indations Othe | . WATER MAIN | |
| | | | | | | |
| 2 Single Well | uo A | | pth — Range ft. <u>26</u> ft | | | |
| Several Wells: Total Number of We | H N/C/E/M/ | | /i20 n | | Nonth 85 | _ Year |
| Includes Wells From Station | to Station | | 4 Cable Tool | · Bo | tary Same | VI Bornd (Augus) |
| Includes Wells 11011 Station | . 10 31811011 | | Jetted | | ven | P bored (Auger) |
| | THICKNESS | DEPTH TO | - | | | |
| 3 FORMATION | OF STRATUM | BOTTOM OF STRATUM | 5 CONSTRUCTION | N DETAILS: T Dr | ive Points | Rock Well |
| | | | | | tural Pack | |
| TOPSOIL & MIXED FILL | 4' | 4' | | | in Depth 26 | |
| | | | | | in Depth 26 | |
| FINE YELLOW SAND | 6° | 10' | Gravel Pack: | From4 | ft to26 | ft : |
| | ŀ | | | | STONE | |
| SILTY SAND, GREY TO YELLOW | 16* | 26 | | | o26 ft | |
| 4 | • | | | | | |
| | | | 6 STATIC WATER | I EVE | - 14.5 | |
| (USE REMARKS SECTION IF NEEDED) | | } | J GIANG MAIGH | -1 | 2 ft above/bel | ow land surface |
| | | | | | | |
| 8 ABANDONMENT PROCEDURES: | | | 7 DEWATERED LE | | | · |
| Wells under 40 feet | | | Pump Operated | hr/da | ly, | |
| | ft to _ | | Pump Capacity | 10-20 gpm | | \ |
| Finer Textured Soils: from | n to _ | п | Discharge Point | STORM SE | VER - | |
| Other: | | | (ri | ver. pond. lake. | storm sewer, etc. | |
| Wells over 40 feet: Bentonite-Fine Textured Soil Mixture | | | | | | |
| from ft to | | | 10 REMARKS, Wa | ter Quality, Gas, | etc. | |
| Other: | .• | | RECEIV | EN | | |
| Other: | | | Mich. Dent. of P | ublic Health | | · · · |
| Special Cases: Gas | ☐ Flowin | g Well | l . | | | Ţ, |
| Bedrock | | | NOV 15 | 1985 | | `.] |
| Grout | | | 1 | | | } |
| Bentonite Grout | Neat Cement (| Grout | Bureau of Environ | imental acri | | |
| from ft to | ft | | Occupational He | aith - GWOS | | |
| 9 ABANDONMENT CERTIFICATION | | | 11 DRILLING CONT | | IFICATION | |
| This well has been abandoned under | r mv jurisdicti | ion and this | , | | y jurisdiction and | this report is |
| report is true to the best of my know | edge and belie | f. | | t of my knowled | | • |
| report is the transfer of the | J | | | • • | • | • |
| | | | | | |); |
| | nec:- | RATION NUMBER | GREAT LEVEL COL | USTRUCTION C | O. THE - A | 2-14670 |
| REGISTERED CONTRACTOR NAME | HEGIST | | ł | | | 1 |
| Address | | | Address 13040 MB | RRIMAN, RD. | <u>LIVONIA. MI</u> | 48150 |
| | | | January . | T. S. 11 | '. -/ . | |
| Signed | | DACE | Signed MULLING | The second a south | <u></u> | 10/05 |

| GEOLOGICAL SURVEY SAMPLE No. |] | | |
|--|---------------------------------------|----------------------|---|
| | WATER WE | LL RECO | RD MICHIGAN DEPARTMENT |
| | ACT 294 | PA 1.965 | OF PUBLIC HEALTH |
| County Macom (o Twp. | | Fraction | Section No. Town Range |
| | | 1/ | EXCEN 30 1 m/d 13 m/d |
| Distance And Direction from Roda Intersections | OWNER No | | 3 OWNER OF WELL: EU. BEIRGMAIN |
| 5777: 10 MILEIRD, | | <u></u> | Address 295/ 4 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 |
| Street address & City of Well Lacation | · · · · · · · · · · · · · · · · · · · | | Address 29562 - POND. RIDGE, RD. FARMINGTON MICH. FWELL DEPTH (Completed) Date of Completion |
| 2 FORMATION | THICKNESS' OF STRATUM | BOTTOM OF STRATUM | WELL DEPTH: (completed) Date of Completion 112 ft. 449 28,68 |
| TOP SOIL | , | , , | 5 Cable tool Ratary Oriven Dug Hollow rad Jetted Bared |
| 1. | | | 6 USE: Domestic Public Supply Industry |
| FELLOW SAND | 178 | 19 | Irrigation Air Canditioning Commercial Test Well |
| HARD PAY | 80 | 99 | 7 CASING: Threaded Welded Height: Abave/Below |
| WATER, SAND | 14 | 112 | #_in. to 1 Depth surfaceft. |
| | | | in. toft. Depth Drive Shoe? Yes No |
| | | | 8 SCREEN: Type: 5 5 Die.: 4" |
| | | | |
| | | , | Slot/Gauze 3 5 Length 5 ft. Set between 10 7 ft. and 112 ft. |
| | | | Fittings: |
| | | | 9 STATIC WATER LEVEL |
| | | | 10 PUMPING LEVEL below land surface |
| , , , , , , , , , , , , , , , , , , , | | | 60 ft. after 4 hrs. pumping 20 g.p.m. |
| | | | 60 ft. after 8 hrs. pumping 20 g.p.m. |
| | | | II WATER QUALITY in Parts Per Million: Iron (Fe)Chlorides (Cl) |
| | | | |
| | | | Hardness |
| | | | 12 WELL HEAD COMPLETION: In Approved Pit It It It It It It It |
| | | | 13 GROUTING: Well Grouted? Yes No |
| | | | Material: Neat Cement |
| · · · · · · · · · · · · · · · · · · · | | | 14 SANITARY: 0 1 SELLORS |
| | | | Nearest Source of possible contamination |
| • • | | | Well disinfected upon completion X Yes No |
| | | | 15 PUMP: Manufacturer's Name PAPIDATON |
| | | | Manufacturer's Name RAPIDA |
| | | | Length of Drap Pipe 93 ft. capacity 2 OG.P.M. |
| | | | Type: Submersible Reciprocating |
| 16 Remarks, elevation, source of data, etc. | | | WELL CONTRACTOR'S CERTIFICATION: |
| Anten Medical Community Man | | | I was drilled under my jurisdiction and this report is true at of my knowledge and belief. |
| \$ 300 pm 4 | | -5 | EGISTERED SUSINESS AME REGISTRATION NO. |
| e-activities by | ļ | Address_ | 29866- W-12 MiRD |
| -entition axi | | Signed | Share Date X-67 |
| | | •• | STRUCTURE REPRESENTATIVE |

Geographic patterns in mean annual precipitation arise from differences in either atmospheric moisture or the number of passing disturbances (fronts and storms). Greatest average precipitation falls in southwestern Lower Michigan and over the higher terrain in western Upper Michigan. Southwestern Lower Michigan is nearest the Gulf of Mexico, the source of moist air for much of the state's rain and snow, and the average atmospheric moisture is higher there than in northern areas of the state. In western Upper Michigan snowfall created by cold air crossing the relatively warmer surface of Lake Superior contributes greatly to that area's total precipitation. Lower average annual precipitation in northeastern Lower Michigan than in the northwest results from less lake-effect snowfall and from limited summertime atmospheric moisture. The contrast in precipitation between northwestern and northeastern Lower Michigan is caused by the uplands in Kalkaska and Otsego counties which locally augment lakeeffect snowfall.





Differences in mean annual temperature across Michigan result from variations in the relative importance of air masses crossing the state as well as from the moderating influence of the Great Lakes. In any season warm intervals in Michigan are produced by an influx of air from the southern United States or Great Plains, whereas cold periods are the result of the invasion of air from Canada or the Arctic. Lying nearest these northern sources, the Upper Peninsula is often affected by cool air masses, whereas warm southerly air masses are more frequent in southern Lower Michigan. Thus average temperatures are lower in northern Michigan during all seasons, even in summer when it experiences longer days than any other part of the state. Snow cover, persistent in northern Michigan during winter, promotes nighttime cooling and also lowers mean temperatures. The Great Lakes, which retain heat, modify the climate of near-shore areas by cooling extremely hot summer days. They also moderate the bitter cold of winter by directly releasing heat and generating local cloudiness.

STATE OF MICHIGAN

圖

Michigan Field Office 15500 Sheldon Road Northville, MI 48167

NATURAL RESOURCES COMMISSION
THOMAS J ANDERSON
E R CAROLLO
JACOB A HOEFER
STEPHEN F MONSMA
HILARY F SNELL
PAUL H WENDLER
HARRY H WHITELEY

JAMES J. BLANCHARD, Governor

DEPARTMENT OF NATURAL RESOURCES

RONALD O. SKOOG, Director

July 10, 1985

LTV Steel Tubular Products Co. (Formerly Republic Steel Corp.) 965 Wanda Avenue Ferndale, MI 48220

RE: MID 005515705

Dear Mr. Fulton:

On July 8, 1985, acting as a representative of the United States Environmental Protection Agency, I performed an inspection of your facility located at the above address to evaluate compliance of that facility with the requirements of Subtitle C of the Resource Conservation and Recovery Act (RCRA) as amended.

As a result of that inspection, it has been determined that the above facility is in violation of some of the requirements of Subtitle C of RCRA. Specifically, the following was found:

- Hazardous waste has been accumulated in containers for more than 90 days without a permit as required by 40 CFR §262.34.
- The facility does not have a personnel training program nor records of training as required by 40 CFR §265.16.
- The facility does not have a contingency plan and emergency procedures as required by 40 CFR 265 Subpart D.

You may call (313) 226-7187 to get information on how to obtain a copy of the Code of Federal Regulations, title 40, parts 190 to 399.

You are requested to respond to this letter by August 8, 1985, providing documentation to this office regarding those actions taken to correct these violations. If you have any questions regarding this matter, please feel free to contact me at (313) 459-9180.

Sincerely,

Kenneth L. Damrel

Environmental Engineer
HAZARDOUS WASTE DIVISION

Kenneth L. Dannel

KD: jg

cc: U.S. EPA, Region V
B. Okwumabua

R1026-1



December 19, 1984

Mr. John Bohunsky, Director Hazardous Waste Division Michigan Department of Natural Resources Post Office Box 30028 Lansing, Michigan 48909

RECEIVED

JAN 4 1985

HAZARDOUS WASTE DIV

Dear Mr. Bohunsky:

This will confirm our phone conversation of December 18, during which you indicated that U.S. EPA's delisting of lime stabilized waste pickle liquor sludge (LSWPLS), formerly listed as EPA hazardous waste No. K063, is automatically effective in the state of Michigan upon U.S. EPA's effective date. As you know, EPA published its delisting of LSWPLS on June 5, 1984, to be effective December 5, 1984, (F.R. Vol 49, No. 109, page 23284).

As we also discussed, LTV plans to generate filter cake composed partially of LSWPLS as well as sludge from the neutralization of pickle rinsewaters upon start-up of pretreatment facilities presently under construction at our Detroit plant at 330 South Livernois Avenue. We expect start-up of these facilities on May 1, 1985.

Based on bench testing of simulated sludge samples and experience with similar wastes from other facilities, we expect this material to pass applicable RCRA characteristic tests which, in conjunction with U.S. EPA's delisting of LSWPLS, will enable LTV to handle and dispose the filter cake as non-hazardous waste. We will, of course, test the material when it is generated and handle it accordingly.

Thanks again for your help on this matter. If you have any questions or comments on this information, please let me know.

Very truly yours,

S. A. Green

Environmental Management Engineer Environmental Control

SAG/fh

0224a

SUPPLEMENT TO PERMIT NO. 353-84

Republic Steel Corporation Ferndale, Michigan

AUG 8 1984

GENERAL CONDITIONS

- 1. Rule 208(2) Not more than 30 days after completion of the installation, Applicant shall apply, in writing, for a Permit to Operate. Completion of the installation is deemed to occur not later than commencement of a trial operation pursuant to Rule 201(4). Written application should be sent to: Chief, Permit Unit, Air Quality Division, Department of Natural Resources, P.O. Box 30028, Lansing, Michigan 48909.
- 2. Rule 201(4) Trial operation of the equipment is permitted until the Michigan Air Pollution Control Commission acts upon the Permit to Operate. Operation of the equipment shall permanently cease upon denial of the Permit to Operate by the Commission.
- Rule 208(3)(a) and (c) Applicant shall demonstrate compliance with all Commission rules and with all general and special conditions of this permit prior to issuance of the Permit to Operate.
- 4. Rule 201 Applicant shall not reconstruct, alter, modify, expand, or relocate this equipment unless plans, specifications, and an application for a Permit to Install are submitted to and approved by the Commission.
- 5. Rule 901 Operation of this equipment shall not result in the emission of an air contaminant which causes injurious effects to human health or safety, animal life, plant life of significant value, or property, or which causes unreasonable interference with the comfortable enjoyment of life and property.
- 6. Rule 208(3)(b) Operation of this equipment shall not interfere with the attainment or maintenance of the air quality standard for any air contaminant.
- 7. Operation of this equipment shall not result in significant deterioration of air quality.
- 8. Rule 912 Applicant shall provide notification of any abnormal conditions or malfunction of process or control equipment covered by this application, resulting in emissions in violation of the Commission rules or of any permit conditions for more than two hours, to the District Engineer. Such notice shall be made as soon as reasonably possible, but not later than 9:00 a.m. of the next working day. Applicant shall also, within 10 days, submit to the District Engineer, a written detailed report, including probable causes, duration of violation, remedial action taken, and the steps which are being undertaken to prevent a reoccurrence.
- 9. Approval of this application does not preclude the Applicant from complying with any future regulations which may be promulgated under Act 348, P.A. 1965, as amended.
- 10. Approval of this permit does not obviate the necessity of obtaining such permits or approvals from other units of government as required by law.
- 11. Act No. 53 Applicant shall notify any public utility of any excavation, tunneling and discharging of explosives or demolition of buildings which may affect said utility's facilities in accordance with Act 53 of the Public Acts of 1974, being sections 460.701 to 460.718 of the Michigan Compiled Laws and comply with each of the requirements of that Act.

- 12. The restrictions and conditions of this Permit to Install shall apply to any person or legal entity which now or shall hereafter own or operate the equipment for which this Permit to Install is issued. Any new owner or operator shall immediately notify the Chief of the Permit Unit, in writing, of such change in ownership or principal operator status of this equipment.
- 13. Rule 201(5) If the installation, reconstruction, relocation, or alteration of the equipment for which this permit has been approved has not commenced within, or has been interrupted for, 18 months, this permit shall become void unless otherwise authorized by the Commission.

SPECIAL CONDITIONS

- 14. Rule 331 The particulate emission from the lime storage bin shall not exceed 0.10 pounds per 1,000 pounds of exhaust gases, calculated on a dry gas basis.
- 15. Visible emissions from the lime storage bin shall not exceed 20% opacity except as specified in Rule 301(1)(a) and (b).
- 16. Rules 1001, 1003 and 1004 Verification of particulate emissions rates from the lime storage bin by testing, at owner's expense, in accordance with Commission requirements, may be required for operating approval. If a test is required, stack testing procedures and the location of stack testing ports must have prior approval by the District Supervisor, Air Quality Division, and results shall be submitted within 120 days of the written requirement for such verification.
- 17. Applicant shall not operate the lime storage bin unless the baghouse is installed and operating properly.

STATE OF MICHIGAN



NATURAL RESOURCES COMMISSION THOMAS J. ANDERSON E. R. CARCLLO MARLENE J. FLUHARTY STEPHEN F. MONSMA O. STEWART MYERS RAYMOND POUPORE HARRY H. WHITELEY

JAMES J. BLANCHARD, Governor

DEPARTMENT OF NATURAL RESOURCES

STEVENS T. MASON BUILDING BOX 30028 LANSING, MI 48909

RONALD O. SKOOG, Director.

Mr. George N. Krauss, Plant Manager Republic Steel Corporation Tubular Products Group 965 Wanda Avenue Ferndale, Michigan 48220

AHG 8 1984

Dear Mr. Krauss:

This letter is in reference to your Permit to Install application for a line storage bin with a baghouse control, located at 965 Wanda Avenue, Ferndale, Michigan. This application, identified as No. 353-84, has been evaluated and approved by the Air Quality Division, pursuant to the delegation of authority from the Michigan Air Pollution Control Commission.

This approval is based upon and subject to compliance with all administrative rules of the Commission and conditions stipulated in the attached supplement. Please review these conditions thoroughly so that you may plan for and take the necessary actions to ensure compliance with all of these conditions. Also note that Condition No. 1 requires you to apply, in writing, for a permit to operate within 30 days after completion of construction.

You are advised that contaminants discharged to the surface waters and/or groundwaters; materials disposed of on land; hazardous waste storage, treatment, and disposal; and resource recovery facilities must be approved by other divisions of the Environmental Protection Bureau, Department of Natural Resources. Additionally, your plant environment must be in compliance with all applicable requirements of the Departments of Public Health and Labor.

Approval of this permit does not constitute a walver by the State of Michigan of its right to bring appropriate legal action against the applicant for failing to obtain the required permit prior to the commencement of construction.

Additionally, applications Nos. 351-84 and 352-84 are voided because the equipment was installed prior to August 15, 1967, and is not subject to the permit requirements.

Thank you for your cooperation. Please contact me if you have any questions regarding this permit.

Sincerely

Dhruman Shah, Engineer

Permit Section
Air Quality Division

517-322-1333

DS:ckn Enclosure cc: Tom Maki

AIR QUALITY DIVISION MICHIGAN DEPARTMENT OF NATURAL RESOURCES P.O. BOX 30028, LANSING, MICHIGAN 48909

for permit to operate process, fuel burning, refuse burning and/or air pollution control equipment

Air Poliution Control

APPLICATION TO THE AIR POLLUTION CONTROL COMMISSION OPLICATION WAS JUNE 15

and

FORM AP-1 1M

APR 30 1384

Establishment Number B3716

(Instructions for completing this form are on reverse side)

PERMIT TO BE ISSUED TO: (Business License Name of Corporation, Partnership, Individual Owner, Governmental Agency) REPUBLIC STEEL CORPORATION TUBULAR PRODUCTS GROUP 965 Wanda Ave Ferndale, Mi. 48220 3 EQUIPMENT OR PROCESS LOCATION: (Number, Street, City or Village, Township, Zip Code) 965 Wanda Ave Ferndale, Mi. 48220 TYPE OF ORGANIZATION. [Y] Corporation Partnership Individual Owner Governmental Agency GENERAL NATURE OF BUSINESS. Manufacture Steel Tubing and Steel Electrical Conduit EQUIPMENT DESCRIPTION: Application is hereby made for permission to construct, install or alter and to operate the following equipment Machines for printing a ruled line on 10' lengths of EMT Conduit, using 1400 gallons per year of thinner. These machines have been in operation for 25 years. ESTIMATED COST: Air Pollution Control Equipment \$ Total Project & PRESENT STATUS OF EQUIPMENT: (Check and complete applicable items) Estimeted Estimated Starting Date Completion Date () Construction or installation not storted) Construction or installation partly completed 1959 (X) Construction completed () Equipment is to be altered) Equipment is partly altered . Equipment has been altered. () Change of location and/or ownership. NAME OF PRIOR OWNER AS IN (1) ABOVE, AND PRIOR AIR POLLUTION CONTROL PERMIT NUMBER, IF ANY: (Permit Number) TYPE OR PRINT NAME AND TITLE OF OWNER OR AUTHORIZED MEMBER OF FIRM Plant Manager (Name) George N. Krauss _ (Phone No.) 313-398-1600 (Signature)_ NIG 11. DISPOSITION OF APPLICATION: Permit to install approved and issued on

| • • | • | | |
|---------------|---------------------------------|-------------|--|
| | <i>Y</i> .) | J547-6 | 100 Cityor Ferndale |
| Republic Stee | 1 Corp Steel | E Tubes DIV | |
| mastes: | Sludge coo oil Steel shav | | try of madison theights to 88-1200 |
| | studge was | | ٠. |
| • | grease Solvent | · | |
| · | Sludge Zine | no cyani | de |
| | O cubic fee | | |
| 10000 | Sq. Ft. Fac | ality | |
| landfi | 1 Frank | K Luxan | I vill call |

LTV STEEL / TUBULAR DIV. Republic Steel "usu. Me Hallic Coatings Metal Surface Treatments hot - dip galvanicing - no Significant environmental hozard REF 146 cleaning solvents - Flammabb or foxic Chloride. Ref 11

8/13/87 Digite-Kitnotive Thrasterate treatment plant installed in the last year Tookkand Conty Polletin Control -Sewer mentoring

rolation of July 28

rolation fronk Luxani ph factor 1.9

Mr Charles McKinnon

(313) 547-1195 Gud and

Galania Zinc 560ppm Mr Ron Miller limited 5.5 Ph 15 ppm Supervisor (313) 398-1600 MABILLINGS DETROIT LOW PH WAREN

MICHIGAN DEPARTMENT OF NATURAL . SOURCES

INTEROFFICE COMMUNICATION

February 26, 1986

TO:

Site File

FROM:

Steve Cunningham

SUBJECT:

Unfounded Allegation

This site was reviewed during the 1985 Act 307 list production process. At the time of that review, this site was considered to be an unfounded allegation due to a lack of information or conditions at the site that do not meet the definitions of a site of environmental contamination per Act 307, P.A. 1982. Further review of this site should concentrate on data entered into the file after January 1, 1986.





December 19, 1984

Mr. John Bohunsky, Director Hazardous Waste Division Michigan Department of Natural Resources Post Office Box 30028 Lansing, Michigan 48909

KEVEIVED

JAN 4 1985

HAZARDOUS WASTE DIV

Dear Mr. Bohunsky:

This will confirm our phone conversation of December 18, during which you indicated that U.S. EPA's delisting of lime stabilized waste pickle liquor sludge (LSWPLS), formerly listed as EPA hazardous waste No. K063, is automatically effective in the state of Michigan upon U.S. EPA's effective date. As you know, EPA published its delisting of LSWPLS on June 5, 1984, to be effective December 5, 1984, (F.R. Vol 49, No. 109, page 23284).

As we also discussed, LTV plans to generate filter cake composed partially of LSWPLS as well as sludge from the neutralization of pickle rinsewaters upon start-up of pretreatment facilities presently under construction at our Detroit plant at 330 South Livernois Avenue. We expect start-up of these facilities on May 1, 1985.

Based on bench testing of simulated sludge samples and experience with similar wastes from other facilities, we expect this material to pass applicable RCRA characteristic tests which, in conjunction with U.S. EPA's delisting of LSWPLS, will enable LTV to handle and dispose the filter cake as non-hazardous waste. We will, of course, test the material when it is generated and handle it accordingly.

Thanks again for your help on this matter. If you have any questions or comments on this information, please let me know.

Very truly yours,

S. A. Green

ті (1717) - Стіномну 🛊 (1000-00-01) Ермій Олийтіли, Осугос (повілогую у такі актін отобрт 🛊 дубулаур, онно ішірі 🕳 тің бөнену (100) леді балі

Environmental Management Engineer

Environmental Control

SAG/fh

0.224a





JAMES J. BLANCHARD, Governor

S.E. Michigan Field Office 15500 Sheldon Road Northville, MI 48167

DEPARTMENT OF NATURAL RESOURCES

RONALDIO SKOOG, Director

October 30, 1985

ELPH See Probably Products Co.

(Formerly Republic Steel Corp.) 965 Wanda Avenue Ferndale, MI 48220 Attn: Ronald Miller

RE: MID 005515705

Dear Mr. Miller:

IATURAL RESOURCES COMMISSION

THOMAS J. ANDERSON

MARLENE J. FLUMARTY STEPHEN V MONSMA O STEWART MYERS

DAVIDID CLSON RAYMOND POUPORE

HARRY H. WHITELEY

This letter is to acknowledge receipt of your letter dated October 24, 1985, indicating your compliance program for RCRA deficiencies cited during my inspection on July 8, 1985. I consider your response acceptable at this time and will evaluate the adequacy of your program during future inspections.

Thank you for your cooperation. If you have any questions, please feel free to contact me at (313) 459-9180.

Sincerely,

Kenneth L. Damrel Environmental Engineer

HAZARDOUS WASTE DIVISION

KD: jg

cc: U.S. EPA, Region V

B. Okwumabua

NATURAL RESOURCES COMMISSION

THOMAS J AMDERSON MARLEME J FLUHARTY STEPHEN V MONSMA O STEWART MAERS DAVID J OLSON RAYMOND POUPORE MARRY M WHITELEY



S.E. Michigan Field Office 15500 Sheldon Road Northville, MI 48167

JAMES J. BLANCHARD, Governor

DEPARTMENT OF NATURAL RESOURCES.

RONALD O. SKOOG, Director

October 4, 1985

LTV Steel Tubular Products Co. (Formerly Republic Steel Comp.) 965 Wanda Ave. Ferndale, MI 48220 Attn: Jesse Fulton

RE: MID 005515705

Dear Mr. Fulton:

This letter is to acknowledge receipt of your letter dated August 8, 1985, indicating your compliance program for RCRA deficiencies cited during my inspection on July 8, 1985.

After review of your response it was found that the draft contingency plan does not contain the names, addresses, and phone numbers of all emergency coordinators as required by 40 CFR §265.52(d) nor a list of emergency equipment as required by 40 CFR §265.52(e).

Please supply a revised contingency plan to this office by October 30, 1985. Thank you for your cooperation. If you have any questions, please feel free to contact me at (313) 459-9180.

Sincerely,

Kenneth L. Damrel Environmental Engineer HAZARDOUS WASTE DIVISION

.

KD:jg

cc: U.S. EPA, Region V B. Okwumabua

R1026-1 5/85 .⊥°≘"34, j



October 24, 1985

Michigan Department of Natural Resources Southeast Michigan Field Office 15500 Sheldon Rd. Northville, Mi. 48167

Act: Kenneth L. Damrel

Re: MID 005515705

Dear Mr. Damrel:

Attached is a revised contingency plan which includes the imformation you requested in your letter of October 4, 1985.

If you require further information, please contact Mr. Ronald Miller at this address and telephone, as I will no longer be with LTV Steel after October 31, 1985.

Sincerely.

Husse Fulton Plant Engineer

OCT 28 1985

CONTINGENCY PLAN AND EMERGENCY PROCEDURES FOR HAZARDOUS MATERIAL

- 1. Determine categories involved.
- 2. Consider possible emergencies for each category.
- 3. Flan appropriate reaction, including:
 - a. Obtaining help.
 - b. Notifying police and fire departments.
 - c. Notifying regulatory authorities.
 - d. Cleaning up and disposal of residue.
- 4. Follow-up and reporting.
- 5. Haintain documentation of procedures and incidents.

52203

8/8/85 JWF

EMERGENCY PROCEDURES FOR HAZARDUUS MATERIAL

Categories:

Flammable liquids and solids. Zimc plating tank sludge. Other

Possible emergencies:

Fire. Spill.

Reaction:

In case of fire, pull the nearest fire alarm station. This will bring immediate help with fire extinguisher. The shift supervisor, acting as the Fire Captain, will direct the efforts of the Fire Brigade to contain the fire. The Ferndale Fire Department will be motified as directed by the Fire Captain. The Fire Brigade's efforts will be directed toward containing the fire, and the Ferndale Fire Department will extinguish it.

In case of a spill involving a flammable liquid or solid, proper fire extinguishers will be readied in the vicinity, and a trained Fire Brigade will be assembled. Spills will be cleaned up by diking the affected area with oil absorbant clay ("Speedy Bry"), and soaking up the spilled material. This flammable solid residue will be placed in a drum, proberly labeled, and held for disposal.

In case of a spill of zimc plating tank sludge, the material should be shoveled into a second container, properly labeled, and held for disposal.

In the case of other material, efforts must be made to salvage it for use as intended. If this cannot be done, and the spilled material must be discarded, immediately contact engineering for correct procedure, as a notification to governmental authority may be required.

Follow-up:

A standard procedure exception report must be completed for each above instance. This will provide documentation necessary for any investigations which may be necessary. These reports will be forwarded to engineering for filing.

August 8, 1985

AUG 1 2 1985

L. V E L

Michigan Department of Natural Resources ARDOUS WASTE DIV Southeast Michigan Field Office 15500 Sheldon Rd. Northville, Mi. 48167

Att: Kenneth L. Damrel

RE: MID 005515705

Dear Mr. Damrel:

As requested in your letter of July 10, 1985, we have taken the following actions:

- 1. Arrangements were made through Chemical Waste Management to transport hazardous waste to their Emelle, Alabama, facility for disposal. This material will be shipped during the week of August 12-16, 1985, depending on the availablity of their unloading facility. Due to a change in our process, we will no longer be generating this specific waste stream, and this shipment will conclude our handling of it.
- A formal personnel training program is being developed, and a draft copy attached. We expect this program to be in place by September 10, 1985, with training to be completed by October 8, 1985.
- A contingency and emergency procedures plan is being developed, and a draft copy is attached. This plan will be implemented by September 10, 1985.

I will imform you if there are any changes in this schedule. If you have any questions or desire further information, please call me at 313-398-1600.

5. 我们就有有关的表现,这一次,我们的时间,这么就是这些都是我的"更多的"的。这个时间就是我们,"我们的这个人,这个人,我们的这个人,我们就是这个人,我们就是

Jesse Fultom Plant Engineer

÷

T. Michigan Field Office 15500 Sheldon Road Northville, MI 48167

NATURAL RESOURCES COMMISSION:
THOMAS J ANDERSON
E R CAROLLO
JACOBIA HOEFER
STEPHEN F MONSMA
HILARY F SNELL
PAUL H, WENDLER

HARRY H WHITELEY

JAMES J. BLANCHARD, Governor

DEPARTMENT OF NATURAL RESOURCES

RONALD O. SKOOG, Director

July 10, 1985

LTV Steel Tubular Products Co. (Formerly Republic Steel Corp.) 965 Wanda Avenue Ferndale, MI 48220

RE: MID 005515705

Dear Mr. Fulton:

On July 8, 1985, acting as a representative of the United States Environmental Protection Agency, I performed an inspection of your facility located at the above address to evaluate compliance of that facility with the requirements of Subtitle C of the Resource Conservation and Recovery Act (RCRA) as amended.

As a result of that inspection, it has been determined that the above facility is in violation of some of the requirements of Subtitle C of RCRA. Specifically, the following was found:

- 1. Hazardous waste has been accumulated in containers for more than 90 days without a permit as required by 40 CFR §262.34.
- 2. The facility does not have a personnel training program nor records of training as required by 40 CFR §265.16.
- 3. The facility does not have a contingency plan and emergency procedures as required by 40 CFR 265 Subpart D.

You may call (313) 226-7187 to get information on how to obtain a copy of the Code of Federal Regulations, title 40, parts 190 to 399.

You are requested to respond to this letter by August 8, 1985, providing documentation to this office regarding those actions taken to correct these violations. If you have any questions regarding this matter, please feel free to contact me at (313) 459-9180.

Sincerely,

Kenneth L. Damrel Environmental Engineer

HAZARDOUS WASTE DIVISION

Kenneth L. Damsol

KD:jg

cc: U.S. EPA, Region V

B. Okwumabua

RCRA Inspection Report

| EPA Identification Number: M I I | 005513 | |
|--|-----------------------------------|---------------------------------|
| Installation Name: Republic | Steel Corp. (| _TV Steel Tubular Product |
| Location Address: 965 Was | nda Ave | C;, / |
| City: Forndale. | State: MI | / |
| Date of inspection: 7-8-85 | Time of inspection (from) | 10:30 (to) 12:00 |
| Person(s) interviewed | Title | Tel ephone |
| Jesse Fulton | Plant Engineer | 313 - 398 - 1600 |
| | | |
| | | , |
| Inspector(s) L. Damrel | Agency/Title MDNR/HWD/Env. Eng | Telephone - 313 - 459 - 9180 |
| Installation Activity (mark only one | box) | Inspection Form(s) |
| | • | , » |
| Treatment/Storage/Disposal per 40 Generation and/or Transportation | CFR 265.1 and/or | Α |
| | neration or Transportation) | A · |
| ☐ Generation and Transportation | | В, С |
| K Generation only | | В |
| Transportation only | | , C |

INSPECTION FORM B

<u>Section A</u>: Scope of inspection

Standards for generators of HAZARDOUS WASTE subject to 40 CFR 262.10

Section B: MANIFEST REQUIREMENTS (Part 262, Subpart B)

| | | · | Yes No | *IN a | Remark s |
|-----|------------|--|---------------------------|-------------|----------------------|
| (1) | | s the generator have copies of the manifest ilable for review? 262.40 | <u> </u> | | |
| (2) | mo'n | mine manifests for shipments in past 6 ths. Indicate approximate number of ifested shipments during that period. | | • | hazardous zardous |
| (3) | fol cop | the manifest forms examined contain the lowing information? (If possible, make 262 ies of, or record information from, manifests t do not contain the critical elements) | | | |
| | a. | Manifest document number? | \checkmark . | | |
| | b. | Name, mailing address, telephone number, and EPA ID number of generator? | 1 . | | |
| | с. | Name and EPA ID number of transporter(s)? | | · | |
| | d. | Name, Address, and EPA ID Number of designat permitted facility and alternate facility? | ed | | |
| | e. | The description of the waste(s) (DOT shippin name, DOT hazard class, DOT identification number)? | ng <u>/</u> _ | | |
| | f. | The total quantity of waste(s) and the type and number of containers loaded? | | · | |
| | g. | Required certification? | <u> </u> | | |
| | h. | Required signatures? | $\overline{\checkmark}$ _ | | |
| (4) | Rep | ortable exceptions 262.42 | | | · |
| | a. | For manifests examined in (2) (except for sh within the last 35 days), enter the number of fests for which the generator has NOT receiving signed copy from the designated facility with days of the date of shipment. | of mani- ed a | | · |
| | b. | For manifests indicated in (4a), enter the n which the generator has submitted exception (40 CFR 262.42) to the Regional Administrato | reports | 0 0 | · |

A/B-1

(4-828)

. tion C - PRE-TRANSPORT REQUIRE (40 CFR Part 262 Subpart C)

| (1) Is waste packaged in accordance with DOT regulations? (Required prior to movement of hazardous waste off-site) 262.30 (2) Are waste packages marked and labeled in accordance with DOT regulations concerning hazardous waste materials? (Required prior to movement of hazardous waste off-site) (3) If required, are placards available to transporter? 262.33 (4) Pre-shipment Accumulation: applies only to GENERATORS that store hazardous waste on-site for 90 days or less with a permit. These items do not apply to generators whose waste is immediately transport off-site. a. Is hazardous waste accumulated in containers? If no, skip to b. 262.34 i. Is each container clearly marked with the date on which the period of accumulation began? ii. Have more than 90 days elapsed since the dates marked? iii. Is each container labeled or marked clearly with the words "Hazardous Wastes?" iv. Are containers in good condition? v. Are containers compatible with waste in them? vi. Are containers stored closed? viii. Are containers stored closed? viii. Are containers inspected weekly for leaks and defects? ix. Are ignitable and reactive wastes stored at least 15 meters (50 feet) from the facility property line? (Indicate if waste is ignitable or reactive). | | | | Yes | No | NI | Remark's |
|---|------|--------------------|---|-----------------|---------------|-------------------|---|
| accordance with 00T regulations concerning hazardous waste materials? (Required prior to movement of hazardous waste off-site) (3) If required, are placards available to transporter? 262.33 (4) Pre-shipment Accumulation: applies only to GENERATORS that store hazardous waste on-site for 90 days or less with a permit. These items do not apply to generators whose waste is immediately transport off-site. a. Is hazardous waste accumulated in containers? If no, skip to b. 262.34 i. Is each container clearly marked with the date on which the period of accumulation began? ii. Have more than 90 days elapsed since the dates marked? iii. Is each container labeled or marked clearly with the words "Hazardous Wastes?" iv. Are containers in good condition? v. Are containers compatible with waste in them? vi. Are containers managed to prevent leaks? vii. Are containers stored closed? viii. Are containers inspected weekly for leaks and defects? ix. Are ignitable and reactive wastes stored at least 15 meters (50 feet) from the facility property line? (Indicate if | (1) | regulat | ions? (Required prior to movement | | | | |
| (4) Pre-shipment Accumulation: applies only to GENERATORS that store hazardous waste on-site for 90 days or less with a permit. These items do not apply to generators whose waste is immediately transport off-site. a. Is hazardous waste accumulated in containers? If no, skip to b. 262.34 i. Is each container clearly marked with the date on which the period of accumulation began? ii. Have more than 90 days elapsed since the dates marked? iii. Is each container labeled or marked clearly with the words "Hazardous Wastes?" iv. Are containers in good condition? v. Are containers compatible with waste in them? vi. Are containers managed to prevent leaks? vii. Are containers stored closed? viii. Are containers inspected weekly for leaks and defects? ix. Are ignitable and reactive wastes stored at least 15 meters (50 feet) from the facility property line? (Indicate if | (2) | accorda hazardo | nce with DOT regulations concerning us waste materials? (Required prior | 262.31 | and | 262.32 | |
| (4) Pre-shipment Accumulation: applies only to GENERATORS that store hazardous waste on-site for 90 days or less with a permit. These items do not apply to generators whose waste is immediately transport off-site. a. Is hazardous waste accumulated in containers? If no, skip to b. 262.34 i. Is each container clearly marked with the date on which the period of accumulation began? ii. Have more than 90 days elapsed since the dates marked? iii. Is each container labeled or marked clearly with the words "Hazardous Wastes?" iv. Are containers in good condition? v. Are containers compatible with waste in them? vi. Are containers managed to prevent leaks? vii. Are containers stored closed? viii. Are containers inspected weekly for leaks and defects? ix. Are ignitable and reactive wastes stored at least 15 meters (50 feet) from the facility property line? (Indicate if | (3) | If requ transpo | ired, are placards available to rter? 262.33 | | | <u> </u> | Rely on transporter |
| a. Is hazardous waste accumulated in containers? If no, skip to b. 262.34 i. Is each container clearly marked with the date on which the period of accumulation began? ii. Have more than 90 days elapsed since the dates marked? iii. Is each container labeled or marked clearly with the words "Hazardous Wastes?" iv. Are containers in good condition? v. Are containers compatible with waste in them? vi. Are containers managed to prevent leaks? vii. Are containers stored closed? viii. Are containers inspected weekly for leaks and defects? ix. Are ignitable and reactive wastes stored at least 15 meters (50 feet) from the facility property line? (Indicate if | (4) | Pre-shi | pment Accumulation: | • | | | , |
| i. Is each container clearly marked with the date on which the period of accumulation began? ii. Have more than 90 days elapsed since the dates marked? iii. Is each container labeled or marked clearly with the words "Hazardous Wastes?" iv. Are containers in good condition? v. Are containers compatible with waste in them? vi. Are containers managed to prevent leaks? vii. Are containers stored closed? viii. Are containers inspected weekly for leaks and defects? ix. Are ignitable and reactive wastes stored at least 15 meters (50 feet) from the facility property line? (Indicate if | a pe | rmit. T | to GENERATORS that store hazardous w hese items do not apply to generators | aste o whose | n-sit wast | e for ! e is i | 90 days or less without nmediately transported |
| the date on which the period of accumulation began? ii. Have more than 90 days elapsed since the dates marked? iii. Is each container labeled or marked clearly with the words "Hazardous Wastes?" iv. Are containers in good condition? v. Are containers compatible with waste in them? vi. Are containers managed to prevent leaks? vii. Are containers stored closed? viii. Are containers inspected weekly for leaks and defects? ix. Are ignitable and reactive wastes stored at least 15 meters (50 feet) from the facility property line? (Indicate if | | | | \checkmark | | | |
| the dates marked? iii. Is each container labeled or marked clearly with the words "Hazardous Wastes?" iv. Are containers in good condition? v. Are containers compatible with waste in them? vi. Are containers managed to prevent leaks? vii. Are containers stored closed? viii. Are containers inspected weekly for leaks and defects? ix. Are ignitable and reactive wastes stored at least 15 meters (50 feet) from the facility property line? (Indicate if | | i. | the date on which the period of | h <u>/</u> | | - | |
| clearly with the words "Hazardous Wastes?" iv. Are containers in good condition? v. Are containers compatible with waste in them? vi. Are containers managed to prevent leaks? vii. Are containers stored closed? viii. Are containers inspected weekly for leaks and defects? ix. Are ignitable and reactive wastes stored at least 15 meters (50 feet) from the facility property line? (Indicate if | | ii. | | | | | |
| v. Are containers compatible with waste in them? vi. Are containers managed to prevent leaks? vii. Are containers stored closed? viii. Are containers inspected weekly for leaks and defects? ix. Are ignitable and reactive wastes stored at least 15 meters (50 feet) from the facility property line? (Indicate if | | iii. | clearly with the words "Hazardous | $\sqrt{}$ | | | |
| in them? vi. Are containers managed to prevent leaks? vii. Are containers stored closed? viii. Are containers inspected weekly for leaks and defects? ix. Are ignitable and reactive wastes stored at least 15 meters (50 feet) from the facility property line? (Indicate if | | iv. | Are containers in good condition? | _ | | | |
| vii. Are containers stored closed? viii. Are containers inspected weekly for leaks and defects? ix. Are ignitable and reactive wastes stored at least 15 meters (50 feet) from the facility property line? (Indicate if | | ٧. | | | | | |
| viii. Are containers inspected weekly for leaks and defects? ix. Are ignitable and reactive wastes stored at least 15 meters (50 feet) from the facility property line? (Indicate if | | vi. | | $\sqrt{}$ | | | |
| ix. Are ignitable and reactive wastes stored at least 15 meters (50 feet) from the facility property line? (Indicate if | | vii. | Are containers stored closed? | . 🟒 | | | |
| at least 15 meters (50 feet) from the facility property line? (Indicate if | | viji. | | \checkmark | | | |
| | | ix. | at least 15 meters (50 feet) from th facility property line? (Indicate if | ie , | | | ign: table |

Are incompatible wastes stored in separate containers? (If not, the provisions of 40 CFR 265.17(b) apply.) xi. Are containers of incompatible waste separated or protected from each other by physical barriers or sufficient distance? Is hazardous waste accumulated in tanks? If no, skip to c. 265.34 (January 11, 1982 revision) Is each tank labeled or marked clearly with the words "Hazardous Wastes"? 265.34 (January 1982 revision) Are tanks used to store only those wastes which will not cause corrosion. leakage or premature failure of the tank? 265.192 Do uncovered tanks have at least 60 cm (2 feet) of freeboard, or dikes or other containment structures? Do continuous feed systems have a waste-feed cutoff? Are waste analyses done before the tanks are used to store a substantially different waste than before? 265, 193 Are required daily and weekly inspections done? 265, 194 Are reactive and ignitable wastes in tanks protected or rendered non-reactive or nonignitable? Indicate if waste is ignitable or reactive. (If waste is rendered non-reactive or nonignitable. see treatment requirements.) 265.198 viii. Are incompatible wastes stored in separate tanks? (If not, the provisions of 40 CFR §265.17(b) apply.) 265.199

| iχ. | Has the owner or operator observed buffer zone requirements for tanks | | |
|--------|---|---------------------------|-----------------------|
| | Tank capacity: | gallons | |
| | Tank diameter: | feet | |
| | Distance of tank from property lin | ne | feet |
| | (see tables 2-1 through 2-6 of NFP Code - 1977" to determine complian | A's "Flammable and Coce.) | ombustible Liquids |
| | hazardous waste accumulated in othe in tanks or containers? | er | |
| d. Per | sonnel training. 262.34 (a) 5 | | |
| | personnel training records lude: 265.16 | | No formal |
| i. | Job Titles? | | No formal training |
| ii. | Job Descriptions? | + | program |
| iii. | Description of training? | · 1 | |
| iv. | Records of training? | | |
| V | Did personnel receive the required training by 5-19-81? | | |
| vi. | Do new personnel receive required training within six months? | | |
| vii. | Do personnel training records indi that personnel have taken part in annual review of initial training? | an , | |
| e. Pre | paredness and Prevention 265. Sub | oparit C | |
| i. | Maintenance and Operation of Facility: | | |
| | Is there any evidence of fire, exprelease of hazardous waste or hazawaste constituent? 264.31 | | |

| | ii. | If required, does this facility have the following equipment: 264.32 | , · | |
|----|------|--|--|--|
| | | Internal communications or alarm systems? | ✓ | |
| | | Telephone or 2-way Radios at the scene of operations? | <u> </u> | |
| | | Portable fire extinguishers, fire control, spill control equipment and decontamination equipment? | · | |
| | _P | Indicate the volume of water and/or foam ortable extinguishers city | | re control: |
| | iii. | Testing and Maintenance of Emergency Equipme | ent: 264.33 | |
| | | Has the owner or operator established testing and maintenance procedures for emergency equipment? | <u> </u> | |
| | | Is emergency equipment maintained in operable condition? | <u> </u> | |
| | iv. | Has owner/operator provided immediate access to internal alarms (if needed)? | <u></u> | |
| | ٧ | Is there adequate aisle space for unobstructed movement? | <u> </u> | ······································ |
| | vi. | Has the owner or operator attempted to make arrangements with local authorities in case of an emergency at the facility? | <u> </u> | Fire Department |
| f. | Con | tingency Plan and Emergency Procedures 265 | Subpart D | |
| - | | Does the contingency plan contain the following information: | | |
| | | i. The actions facility personnel must take to comply with §265.5% and 265.5% in resto fires, explosions, or any unplanned mof hazardous waste? (If the owner has a Prevention, Control and Countermeasures Plan, he needs only to amend that plan to incorporate hazardous waste management provisions that are sufficient to comply with the requirements of this Part (as applicable.) 265.52 | sponse release a Spill (SPCC) to | No contingincy |
| | | | | ı |

| ii. | Arrangements agreed to by local police departments, hospitals, contractors, and State and local emergency response teams to coordinate emergency services, pursuant to §265.37? | | ·, | 1 | · - | · | |
|-------------|---|-------------|----------|---|---------------|-------------|-------------|
| iii. | Names, addresses, and phone numbers (Office and Home) of all persons qualified to act as emergency coordinator. | | | | | | |
| iv. | A list of all emergency equipment at the facility which includes the location and physical description of each item on the list, and a brief outline of its capabilities? | · | <u>.</u> | | | | |
| ٧. | An evacuation plan for facility personnel where there is a possibility that evacuation could be necessary? (This plan must describe signal(s) to be used to begin evacuation, evacuation routes and alternate evacuation routes?) | | | - | | | |
| vi. | Are copies of the Contingency Plan available at site and local emergency organizations? | : —- | | _ | | | |
| vii. | Is the facility emergency coordinator identified? | | | _ | | | |
| iii. | Is coordinator familiar with all aspects of site operation and emergency procedures? | | | _ | | | |
| ix. | Does the Emergency Coordinator have the authority to carry out the Contingency Plan? | | | _ | - | | |
| . x. | If an emergency situation has occured at this facility, has the emergency coordinator followed the emergency procedures listed in 265.56? | | | 9 | / | | |

| Secti | on D: 1 | RECORDKEEPING AND REPORTING (Part 262, | Subpart | D) | | | |
|-------|---------|---|---------|-------|----------|---------------|---|
| | | | Yes | No | NI | Remarks | |
| (1) | hazardo | l test results and analyses needed for ous waste determinations retained for st three years? 262.40 | | , | | | _ |
| Secti | - | <u>INTERNATIONAL SHIPMENTS</u> (Part 262 Subpa 262.50 | art E.} | | | | |
| (1) | | e installation imported or exported ous waste? If "no", skip a and b. | | | ∕ . : | | |
| | a. Ex | porting Hazardous Waste, has a generato | or: | | ı | | |
| | i. | Notified the Administrator in writing | g? | | | · | |
| | ii. | Obtained the signature of the foreign consignee confirming delivery of the waste(s) in the foreign country? | n — | | | | |
| | jii. | Met the Manifest requirements? | | | | | |

Importing Hazardous Waste, has the generator met the manifest requirements?

AIR QUALITY DIVISION

MICHIGAN DEPARTMENT OF NATURAL RESOURCES P.O. BOX 30028, LANSING, MICHIGAN 48909

APPLICATION 40

Air Pollution Control

APPLICATION WAS DOMINISHED APPLICATION TO THE AIR POLLUTION CONTROL COMMISSION

for authority to construct, install or alter

APR 30 1984 -

| | ond | | | | | _ | | nt Number | |
|-------------------------------|---|--|--|---|--------------------|--|------------------|------------------------------|-------------------|
| | for permit | to operate | process, fe | uel burning, | , refuse burn | ng and/or air (| pollution con | trol equipme | nt |
| | 0 8E (\$3UED 1 | | | | | , Individual Owner | , Governmental A | gency) | |
| REPUBLIC S | | | | | CTS GROUP | | <u> </u> | | |
| 2. MAILING A 965 Wanda | | | Mi. 482 | | , | | | | |
| 3. EQUIPMEN | T OR PROCES | & LOCATION | : (Number, ! | Street, City or | Village, Townsh | ip. Zip Code) | | | |
| 965 Wanda | | | Mi. 482 | 20 | <u> </u> | | | | |
| 4 TYPE OF C | ORGANIZATIO | n. Ç | Corporation | • 🗆 | Partnership | _ Indiv | idual Owner | <u> </u> | vernmental Agency |
| s. ochceat Manufactus | | | ind Steel | Electri | cal Condui | t | | | |
| 6 EQUIPMEN | T DESCRIPTION | ON: Applie | ation is here | by mede for p | eimission to c | natruet, install c | or elter and to | sperate the le | llowing equipment |
| collectime of | cts lime | dust whe | ow. A ben the bi | n is bei | ng f i lled | collector o | mounted o | on the | |
| | | truck. | | | | by a blower | | | |
| 7 ESTIMATES | | | on Control E | | | | Project & | | |
| 0 PRESENT S | D COST: | Air Pollutic | (Check and | quipment \$_ | plicable iseme) | | Project & | Estimated completion De | atte . |
| D PERSONT S | D COST: STATUS OF EG () Construct () Construct | Air Pollution Output Tition or institution or insti | (Check and allation not allation parti | quipment & d complete ap | plicable steme) | Total (| Project & | Estimated completion De | ofe . |
| B PERSONT S | D COST: STATUS OF EG | Air Pollution Output T: | (Check and atlation not allation part) | quipment & d complete ap | plicable tieme) | Total (| Project & | Estimated | ate . |
| D PERSONT S | COST: () Construct () Construct () Construct () Construct () Equipmo | Air Pellution or institution or institution compleint is to be not in partly | (Check and saliation not saliation part) tod altered altered | quipment & d complete ap | plicable tieme) | Total (| Project & | Estimated completion De | sto |
| B PERSONT S | COST: () Construct () Construct () Construct () Equipmo () Equipmo () Equipmo () Equipmo | Air Pellution or institution or institution compleint is to be not in partly not has been | (Check and saliation not saliation part) tod altered altered | quipment & d complete appoint | plicable tieme) | Total (| Project & | Estimated completion De | ate — |
| S PRESENT S | () Construct () Construct () Construct () Equipme () Equipme () Change (| Air Pellution OUIPMENT: Ition or institution completion completion is portly so has been of location. | (Check and salistion not solitation partited | quipment & d complete appleted | plicable isame) | Estimated Starting Date | Project & | Estimated completion De | are |
| PRESENT S NAME OF P (Name) | COST: () Construct () Construct () Construct () Equipmo () Equipmo () Equipmo () Change | Air Pellutic QUIPMENT: Stion or institution comple nt is to be nt is portly nt has been of location AS IN (1) AB(| (Check and sellation not sellation partited | quipment & d complete appleted | plicable isame) | Estimated Starting Date | Project & | Estimated completion De 1971 | |
| 9 YAME OF P (Name) | COST: () Construct () Construct () Construct () Equipmo () Equipmo () Equipmo () Change PRIOR OWNER PRINT NAME A GEOTGE N. | Air Pellutic QUIPMENT: Stion or institution comple nt is to be nt is portly nt has been of location AS IN (1) AB(| (Check and sellation not sellation partited | quipment & d complete appleted | plicable iseme) | Estimated Starting Data D. PERMIT NUMBER (Tide) P1 | Project & | Estimated completion De 1971 | 13-398-1600 |
| PRESENT S NAME OF P (Name) | COST: () Construct () Construct () Construct () Equipmo () Equipmo () Equipmo () Change PRIOR OWNER PRINT NAME A GEOTGE N. | Air Pellutic QUIPMENT: Stion or institution comple nt is to be nt is portly nt has been of location AS IN (1) AB(| (Check and sellation not sellation partited | quipment & d complete appleted | plicable iseme) | Estimated Starting Data L PERMIT NUMBER (Tiale) P1 | Project & | Estimated completion De 1971 | |
| 9 HAME OF P (Name) (Signature | COST: () Construct () Construct () Construct () Equipmo () Equipmo () Equipmo () Change PRIOR OWNER PRINT NAME A GEOTGE N. | Air Pellution OUIPMENT: Stion or institution comple nt is to be nt is portly ns has been of location AS IN (1) AB(ND TITLE O(Krauss | (Check and salistion not salistion partited | quipment & d complete appleted | plicable iseme) | Estimated Starting Data D. PERMIT NUMBER (Tide) P1 | Project & | Estimated completion De 1971 | |
| 9 HAME OF P (Name) (Signatur | COST: () Construct () Construct () Construct () Equipmo () Equipmo () Equipmo () Change PRIOR OWNER PRINT NAME A GEOTGE N. | Air Pellution OUIPMENT: Stion or institution comple nt is to be nt is portly ns has been of location AS IN (1) AB(ND TITLE O(Krauss | (Check and selection not collection partition partition partition partition altered al | quipment & d complete appleted | plicable iseme) | Estimated Starting Data D. PERMIT NUMBER (Tide) P1 | Project & | Estimated completion De 1971 | |
| 9 HAME OF P (Name) (Signature | COST: () Construct () Construct () Construct () Equipmo () Equipmo () Equipmo () Change PRIOR OWNER PRIOR OWNER PRIOR OWNER CONTROL Subject to Permit to | Air Pollution QUIPMENT: Stion or institution or institution comple nt is to be nt is partly nt has been of location AS IN (1) AB(RPPLICATION 0 compliance | (Check and allation not allation part) ted | quipment & d complete appleted | UTION CONTRO | Estimated Starting Data D. PERMIT NUMBER (Tide) P1 | Project & | Estimated completion De 1971 | |

AIR POLLUTION CONTROL COMMISSION



AIR QUALITY DIVISION MICHIGAN DEPARTMENT OF NATURAL RESOURCES

APPLICATION INSTRUCTIONS

Submit this form in triplicate; complete application requires specifications and drawings in duplicate. An application is required for basic processing equipment as well as air pollution control equipment. Basic equipment includes any article, machine, equipment or other contrivance, the use of which may cause the issuance of sir contaminants. Air pollution control equipment includes any article, machine, equipment or other contrivance, the use of which may eliminate or reduce or control the issuance of air contaminants. One application will suffice for an interrelated process. This application must be signed by the owner or authorized member of firm. Please attach the following:


- 1. Equipment Location Drawings Submit drawings showing:
 - a. Plan view of owner's property to boundary lines; include outline and height of all structures.
 - b. Locate and identify proposed equipment on property line.
 - c. Locate and identify all adjacent properties and all structures within 150 feet of proposed equipment showing outlines and heights.
 - d. Indicate north direction on drawing.
- 2. Equipment Specification -,,State make, model, size and type, etc. of proposed equipment and all major accessory equipment.
- 3. Process or Use Specification Attach a complete written description of each process covered by this permit application. Explain clearly and in detail each process stage by including the nature quantity, doncentration, particle size, pressure, temperature, etc. of materials which may be discharged to the atmosphere. Prove sufficient control method detail to show the extent and efficiency of air pollution control devices.
- 4. Operating Schodule Specify proposed equipment operating time in hours per day and days per week.
- 5. Process Weight Detail type and feed rate in pounds per hour or similar measure for each process material charged.
- 6. Fuels and Firing Devices Indicate for gaseous fuels: type and cubic feet per hour, for fuel oil: grade and gallons per hour, sulfur content, and specify temperature to which oil is preheated; for solid fuels: type, ultimate analysis and pounds per hour, indicate for firing device: make, model, size, type, number of devices and capacity range of each device (from minimum to maximum).
- 7. Flow Diagram For continuous processes, show the flow materials either on a separate flow diagram or on the drawings accompanying the application.
- B. Drawings or Equipment Supply an assembly drawing, dimensioned to scale, in plan, elevation and as many sections as are needed to show, clearly, equipment design and operation and the means for controlling air contaminants. Structural design calculations and details are not required. When installing standard commercial equipment, the manufacturer's scale describing the equipment may be submitted in lieu of the parts of Item 8 that it covers. The following must be shown:
 - a. Size and shape of the equipment; exterior and interior dimensions and features and materials of construction.
 - b. Locations, sizes and shape details of materials handling equipment and all features which may affect the production, collection, conveying or control of air contaminants.
 - c. Horsepower rating of driving motors.
 - d. Additional information may be required.
 - e. Indicate where in the system provision is made for source testing.
- 9. A permit application should pertain to an individual unit of equipment or to an operation or to a series of related operations within a process which are scheduled for simultaneous installation or alteration.

After authority to construct, install or alter is granted for any equipment, deviations from the approved plans and application information required are not permissible without first securing written approval.

Further information or clarification concerning permits can be obtained from the A1r Quality Division Phone: (517)322-1333, (Lansing) Michigan Department of Natural Resources, P.O. Box 30028

Lansing, Michigan 48909

AIR QUALITY DIVISION-MICHIGAN DEPARTMENT OF NATURAL RESOURCES P.O. BOX 3002B, LANSING, MICHIGAN 48909



APPLICATION TO THE AIR POLLUTION CONTROL COMMISSION for authority to construct, install or after

| Yesh | LICATION WAS LIGHTLENE APR | 30 1984 |
|-------|--|---------|
| GN, | • | |
| waisa | Establishment Number and/or air pollution control equipm | |

for permit to operate process, fuel burning, refuse b PERMIT TO BE 185UED TO: (Business License Name of Corporation, Parinerable, Individual Owner, Governmental Agency) REPUBLIC STEEL CORPORATION TUBULAR PRODUCTS GROUP 2. MAILING ADDRESS: (Number, Street, Cuy or Village, Zip Code) Ferndale, Mi. 48220 965 Wanda Ave 2 EQUIPMENT OR PROCESS LOCATION: (Number, Street, Gity or Village, Township, Zip Code) 965 Wanda Ave Ferndale Mi 48220 TYPE OF ORGANIZATION. Individual Owner Governmental Agency Pertnership Corporation GENERAL MATURE OF BUSINESS. Manufacture Steel Tubing and Steel Electrical Conduit 4 EQUIPMENT DESCRIPTION: Application is hereby made for permission to construct, install or alter and to sporate the following equipment 4 Welding machines for production of steel tubing from coils of hot rolled pickled and unpickled, and cold rolled steel, using an electrical resistance welding process utilizing no filler metal. The various machines have been in operation from 17 to 26 years. A small amount of smoke is generated due to oil on the heated steel. Other than water vapor, there is no other material released to atmosphere. 7 ESTIMATED COST: Air Pollution Control Equipment & Total Project & PRESENT STATUS OF EQUIPMENT: (Check and complete applicable items) Estimoted Entimeted Starting Date Completion Date () Construction or installation not started () Construction or installation, partly completed . . . 1957-1966 () Equipment is to be altered () Equipment is partly altered . . . () Equipment has been altered () Change of location and/or ownership. NAME OF PRIOR OWNER AS IN (1) ABOVE, AND PRIOR AIR POLLUTION CONTROL PERMIT NUMBER, IF ANY: (Permit Number) TYPE OR PRINT NAME AND TITLE OF OWNER OR AUTHORIZED MEMBER OF FIRM: (Neme) Georga N Kraus (Tule) Plant Manager (Phone No.) 313-398-1600 (Signature)_ छ 11. DISPOSITION OF APPLICATION: ALIG

1-12

AIR QUALITY DIVISION MICHIGAN DEPARTMENT OF NATURAL RESOURCES

21, 1, medgel (m.s.fall) bodan

APPLICATION INSTRUCTIONS

Submit this form in triplicate; complete application requires specifications and drawings in duplicate. An application is required for basic processing equipment as well as air pollution control equipment. Basic equipment includes any article, machine, equipment or other contrivance, the use of which may cause the issuance of air contaminants. Air pollution control equipment includes any article, machine, equipment or other contrivance, the use of which may eliminate or reduce or control the issuance of air contaminants. One application will suffice for an interrelated process. This application must be signed by the owner or authorized member of firm. Please attach the following:

- 1. Equipment Location Drawings Submit drawings showing:
 - a. Plan view of owner's property to boundary lines; include outline and height of all structures.
 - b. Locate and identify proposed equipment on property line.
 - c. Locate and identify all adjacent properties and all structures within 150 feet of proposed equipment showing outlines and heights.
 - d. Indicate north direction on drawing.
- 2. Equipment Specification State make, model, size and type, etc. of, proposed equipment and all major accessory equipment. The transfer of the state of the st
- 3. Process or Use Specification.— Attach a complete written description of each process covered by this permit application. Explain clearly and in detail each process stage by including the nature, quantity, concentration, particle size, pressure, temperature, etc. of materials which may be discharged to the atmosphere. Prove sufficient control method detail to show the extent and efficiency of air pollution control devices.
- 4. Operating Schedule Specify proposed equipment operating time in hours per day and days per week.
- 5. Process Weight Detail type and feed rate in pounds per hour or similar measure for each process material charged.
- 6. Fuels and Firing Devices Indicate for gaseous fuels: type and cubic feet per hour, for fuel oil: grade and gallons per hour, sulfur content, and specify temperature to which oil is preheated; for solid fuels: type, ultimate analysis and pounds per hour, indicate for firing device: make, model, size, type, number of devices and capacity range of each device (from minimum to maximum).
- 7. Flow Diagram For continuous processes, show the flow materials either on a separate flow diagram or on the drawings accompanying the application.
- 8. Drawings or Equipment Supply an assembly drawing, dimensioned to scale, in plan, elevation and as many sections as are needed to show, clearly, equipment design and operation and the means for controlling air contaminants. Structural design calculations and details are not required. When installing standard commercial equipment, the manufacturer's scale describing the equipment may be submitted in lieu of the parts of Item 8 that it covers. The following must be shown:
 - a. Size and shape of the equipment; exterior and interior dimensions and features and materials of construction.
 - b. Locations, sizes and shape details of materials handling equipment and all features which may affect the production, collection, conveying or control of air contaminants.
 - c. Horsepower rating of driving motors.
 - d. Additional information may be required.
 - e. Indicate where in the system provision is made for source testing.
- A permit application should pertain to an individual unit of equipment or to an operation or to a series of related
 operations within a process which are scheduled for simultaneous installation or alteration.

After authority to construct, install or alter is granted for any equipment, deviations from the approved plans and application information required are not permissible without first securing written approval.

Further information or clarification concerning permits can be obtained from the A1r Quality Division Phone: (517)322-1333, (Lansing) Michigan Department of Natural Resources, P.O. Box 30028

Lansing, Michigan 48909

AQ-20 EQUIPMENT IDENTIFICATION

1983 Reporting Form

See instructions on Reverse Side

| ONR U | SE ONLY | - INITIA | LS, DATE | DON |
|-------|---------|----------|----------|------|
| | | - INITI | | PHIN |

DO NOT DUPLICATE 1982 COMPUTER PRINTED INFORMATION IF CORRECT FOR 1983. ENTER DNLY CORRECTIONS OR ADDITIONS

| ESTA | ABLISHN NUN | BER | B3716 | | | | |
|------|-----------------------|-------|------------|--------|--|--|--|
| | DNH USE ONLY - ACTION | | | | | | |
| | NEW | CHANG | E DELETE | O.K. | | | |
| | ,,□ | a.□ | 4 □ | \neg | | | |

| ITEM | | 1982 DATA | 1983 DATA | | | |
|--------------------------------------|---|---|--|--|--|--|
| 1 | The printed data is informulate the data as reference | nation currently in our files. in filling out the form. | Report data for the 1983 calendar year. If this equipment was never operated during 1983 and is permanently discontinued then check this box | | | |
| ITEM 2 | A. SOURCE IDENTIFICATION | NUMBER | [0,1,2] | | | |
| EQUIPMENT | B. EQUIPMENT NAME OR DES (AS YOU REPER TO IT) | CRIPTION | Number Five Welder | | | |
| DESCRIPTION | C. EQUIPMENT CODE ISEE TA | Bre A) | OO 6 A | | | |
| | D. TOTAL NUMBER OF IDENT | | | | | |
| | e. Operating schedule iye. | ARLY AVERAGE) URS/DAY DAYS/YEAR | L214 HOURSIDAY L2 M Q J DAYSIYEAR | | | |
| i | F. OPERATING SCHEDULE IPER | ICENT BY QUARTER | - JAN-MAR APR-JUN JUL-SEP OCT-DEC | | | |
| UNIT CODES | JAN-MAR APR | JUN JUL-SEP OCT-DEC | <u> </u> | | | |
| ITEMS S. AND H. | G. RATED CAPACITY (PER HO | | AMOUNT LINIT CODE | | | |
| 1 POUNDS 2 TONS 3 1000 CU. FT. | AMOUNT | UNIT CODE | <u> </u> | | | |
| | H. MATERIAL PROCESSED IPE TOTAL AMOUN | | TOTAL AMOUNT UNIT CODE | | | |
| 5 1000 BARRELS | , TOTAL AMOUN | · ONIT CODE | | | | |
| ' | I. EMISSION CONTROL EQUIP | MENT CODES (SEE TABLE IV) | <u> </u> | | | |
| | J. AVERAGE OVERALL PARTIC EFFICIENCY, IF KNOWN | CULATE COLLECTION | LLLQI.(QIQ)* | | | |
| | | ILE ORGANIC COMPOUND CONTENT 5 OPERATIONS ONLY (SEC TABLE V, AND 1045-1142) | <u>(0).1010</u> % | | | |
| ITEM | A. NATURAL GAS | 1000 CUBIC FEET/YEAR | 1000 CUBIC FEET/YEAR | | | |
| FUEL | B. DISTILLATE OIL NO. I THRU NO. 4 | 1000 GALLONS/YEAR | LIIIIIO 1000 GALLONSIYEAR | | | |
| USED TO OPERATE | | % SULFUR | 0.00% | | | |
| EQUIPMENT IN ITEM 2 | C. RESIDUAL OIL NO. 5 AND NO. 6 | 1000 GALLONS/YEAR | L_L_L_L_L_L 1000 GALLONE/YEAR | | | |
| | | % SULFUR | <u>_0</u> _0 <u>_0</u> _~ | | | |
| DO NOT USE | D. WOOD OR BARK | TONS/YEAR | L L L L L L L L L L L L L L L L L L L | | | |
| DECIMALS IN FUEL | E. COAL OR COKE | TONS/YEAR | LLI I I I I I I I I I I I I I I I I I I | | | |
| QUANTITIES | | %SULFUR | <u>O</u> , <u>O</u> , O, x | | | |
| • | | %ASH | <u></u> | | | |
| | F. OTHER ISPECIFY TYPE | AMOUNT (Specify Units) | <u> </u> | | | |
| | | % SULFÜR | <u> </u> | | | |
| | | % ASH | <u>, 0, 0, 0, %</u> | | | |
| | | | | | | |

AQ-20 EQUIPMENT IDENTIFICATION

1983

Reporting Form

See Instructions on Reverse Side

DNR USE ONLY - INITIALS, DATE

DO NOT DUPLICATE 1982 COMPUTER PRINTED INFORMATION IF CORRECT FOR 1983. ENTER DNLY

| | NUN | - | | |
|---|-------|--------|-------------|--------|
| Ĺ | DNR U | SE ONL | Y - AC | TION |
| I | NEW | CHANGE | DELETE | O.K. |
| İ | , C | 2.[7] | ∡: □ | \Box |

ESTABLISHMENT

| ************************************** | | | | | | | |
|--|---|---|---------------------------------------|--|--|--|--|
| | | 1982 DATA | 1983 DATA | | | | |
| 1 , | The printed data is informuse the data as reference | nation currently in our files. e in filling out the form. | | 1983 calendar year. If this equipment I during 1983 and is permanently discontinis box | | | |
| ITEM 2 | A. SOURCE IDENTIFICATION | NUMBER | 011 | | | | |
| EQUIPMENT | B. EQUIPMENT NAME OR DES (AS YOU REFER TO 1.T) | CRIPTION | EPINIDULLE I WELLIA | ī Ŗ Sıllı | | | |
| DESCRIPTION | C. EQUIPMENT CODE (SEE TA | BLE V) | 10,0,6,4, | | | | |
| | D. TOTAL NUMBER OF IDENT | | 1010131 | | | | |
| | E. OPERATING SCHEDULE IYE. | ARLY AVERAGE) URS/DAY DAYS/YEAR | | 2 14 2 DAYSIYEAR | | | |
| | F. OPERATING SCHEDULE IPER | IGENT BY QUARTER | JUL HUL-RIA RAM-NAL | SEP OCT-DEC | | | |
| UNIT CODES | JAN-MAR APR- | JUL-SEP OCT-DEC % % | 1 125% 125% 1 | <u> </u> | | | |
| ITEMS G. AND H. | G. RATED CAPACITY (PER HO | URI OR SIZE OF EACH UNIT | AMOUNT | . WHIT CODE | | | |
| POUNDS TONG 1000 CU. FT. | | | 11110,00 | <u></u> | | | |
| 4 CU YARDS 5 GALLONS | H. MATERIAL PROCESSED IPE | R YEAR) - SEE TABLE V | TOTAL AMOUNT | UNIT CODE | | | |
| 6 1000 BARRELS 7 MILLION BTU | | | <u> </u> | | | | |
| | I. EMISSION CONTROL EQUIP | MENT CODES (SEE TABLE IV) | 1731 60 100 | | | | |
| | J. AVERAGE OVERALL PARTIC EFFICIENCY, IF KNOWN | CULATE COLLECTION | L.L.J., 6L.J.% | | | | |
| • | K. AVERAGE PERCENT VOLAT- IBY VOLUME: FOR COATIN EQUIP. CODES 1010-1918 | ILE ORGANIC COMPOUND CONTENT G OPERATIONS ONLY ISEC TABLE V, AND 1045-11421 | <u> </u> | | | | |
| ITEM 3 | A. NATURAL GAS | 1000 CUBIC FEET/YEAR | L1111119 | GOO CUBIC FEETIYEAR | | | |
| FUEL | B. DISTILLATE OIL NO. 1 THRU NO. 4 | 1000 GALLONS/YEAR | ا السناسان | 000 GALLONS/YEAR | | | |
| USED TO OPERATE | | % SULFUR | Q .00 x | | | | |
| EQUIPMENT IN ITEM 2 | C. RESIDUAL OIL NO. 5 AND NO. 6 | 1000 GALLONS/YEAR | 1111110 | 000 GALLONS/YEAR | | | |
| | | % SULFUR | © .00 = | | | | |
| DO NOT | D. WOOD OR BARK | TONS/YEAR | <u> </u> | ONSIYEAR | | | |
| DECIMALS IN FUEL | E. COAL OR COKE | TONS/YEAR | LL LL LO TONSIYEAR | | | | |
| QUANTITIES | | %SULFUR | ତ .ତତ 🕯 | | | | |
| } | | %ASH | ட்டு. முறு * | .1010* | | | |
| | F. OTHER (SPECIFY TYPE) | AMOUNT (Specify Units) | | | | | |
| | | % SULFUR | മ.ലവം | | | | |
| | | % ASH | <u>∟</u> 0.00× | | | | |
| | | | · · · · · · · · · · · · · · · · · · · | | | | |

355-84

AQ-20 EQUIPMENT IDENTIFICATION

1983 Reporting Form

See Instructions on Reverse Side

DNR USE ONLY - INITIALS, DATE

DO NOT DUPLICATE 1982 COMPUTER
PRINTED INFORMATION IF CORRECT
FOR 1983. ENTER ONLY
CORRECTIONS OR ADDITIONS.

NUMBER 3716

DNR USE ONLY - ACTION

NEW CHANGE DELETE O.K.

1. 2. 4. 0

ESTABLISHMENT

| ITEM | 19 | 82 DATA | 1983 DATA | | | |
|--|--|---|--|-------------------|--|--|
| 1 . | The printed data is informa Use the data as reference | | Report data for the 1983 calendar year. If this equipment was never operated during 1963 and is permanently discontinued then check this box | | | |
| ITEM 2 | A. SOURCE IDENTIFICATION NU | MBER | 0.1.4. | | | |
| EQUIPMENT | B. EQUIPMENT NAME OR DESCR | IPTION | LIME HAPPERIL | | | |
| DESCRIPTION | C. EQUIPMENT CODE (SEE TABL | E V) | 0,4,2,6 | | | |
| | D. TOTAL NUMBER OF IDENTICATION OF THE THAN ONE, SEE IN | | 001 | | | |
| | E. OPERATING SCHEDULE IYEAR HOUP | LY AVERAGE) S/DAY DAYS/YEAR | 214 HOURS/DAY 3 | 165 DAYSIYEAR | | |
| UNIT CODES | F. OPERATING SCHEDULE IPERCE JAN-MAR APR-JUI | | JAN-MAR APR-JUN JUL-5 | | | |
| G. AND H. 1 POUNDS 2 TONS | G. RATED CAPACITY (PER HOUR AMOUNT | OR SIZE OF EACH UNIT | AMOUNT UNIT CODE | | | |
| J 1000 CU. FT. 4 CU YARDS 5 GALLONS 6 1000 BARRELS 7 MILLION BTU | H. MATERIAL PROCESSED (PER TOTAL AMOUNT | YEAR) - SEE TABLE V UNIT CODE | TOTAL AMOUNT UNIT CODE | | | |
| | I. EMISSION CONTROL EQUIPME | ENT CODES ISEE TABLE IVI | To 60 00 | | | |
| | J. AVERAGE OVERALL PARTICULE EFFICIENCY, IF KNOWN | ATE COLLECTION | |]* | | |
| | | ORGANIC COMPOUND CONTENT OPERATIONS ONLY (SEE TABLE V, D 1045-1142) | LO.00: | | | |
| ITEM 3 | A. NATURAL GAS | 1000 CUBIC FEET/YEAR | L 10 100 | O CUBIC FEET/YEAR | | |
| FUEL | B. DISTILLATE OIL NO. 1 THRU NO. 4 | 1000 GALLONS/YEAR | 100 | 0 GALLONSIYEAR | | |
| TO OPERATE | | % SULFUR | 10.00° | | | |
| EQUIPMENT | C. RESIDUAL OIL NO. 5 AND NO. 6 | 1000 GALLONS/YEAR | LIIII 1000 GALLONS/YEAR | | | |
| | | % SULFUR | 0.00% | | | |
| DO NOT | D. WOOD OR BARK | TONS/YEAR | LIII O TON | SIYEAR | | |
| DECIMALS IN FUEL | E. COAL OR COKE | TONSIYEAR | LILI TONSIYEAR | | | |
| QUANTITIES | | %SULFUR | ©.2m. | | | |
| | | %ASH | , LODI. COI | | | |
| | F. OTHER (SPECIFY TYPE) | AMOUNT (Specify Units) | | | | |
| | | % SULFUR | 0.00% | | | |
| | | % ASH | 00.001 | | | |

DEPARTMENT OF NATURAL RESOURCES - AIR QUALITY DIVISION

PERMIT ACTIVITY REPORT

| ESTABLISHMENT APPLICATION NO. APPLICATION NO. APPLICATION NO. NEW COUNTY, |
|--|
| Rebublic Steel Colp. DISTRICT DATE MM DD YY |
| 965 Danda due Jernaale 3 Ponting 5/1/84 REGARDING: |
| PERMIT TO INSTALL WITH SITE EVALUATION PERMIT TO OPERATE 5/18/8/ |
| PERMIT ENGINEER COMMENTS: |
| |
| |
| |
| COMPLIANCE BRANCH REMARKS: |
| I saw These Welders when I did an annual. |
| |
| have counts. I nover asked about the |
| They have not been Modified sence installation |
| They have not been Modified strice word Their No permit Required - Please void Their |
| 100 permi mag |
| request. Thanks. |
| Ti and the state of the state o |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| COMPLIANCE BRANCH RECOMMENDATIONS: |
| INSTALLATION AND SITE APPROVAL OPERATING APPROVAL DENIAL AS EXPLAINED TAX EXEMPTION APPROVAL / SPECIAL CONDITIONS NOTED ABOVE: |
| NAME PANAL JACK DATE 5-8-87 DISTRICT ENGINEER INITIALS |
| NAME - NAME INTIALS AND T |

DEPARTMENT OF NATURAL RESOURCES AIR QUALITY DIVISION

NUV 2 - 100.

| They | PERMIT ACTIVITY REP | ORT | 1304 |
|--|--|-------------------------|--|
| 70: | u District #3-7 | PERMIT SE | APPLICATION NO. |
| ESTABLISHMENT Jerry Aver | y Ustact ES-1 | COUNTY | ESTABLISHMENT NO. NEW |
| EQUIPMENT LOCATION STEEL COPP | · ' | Ockland 63 | |
| BECKETING Wa da Ava, For | idale, MI | Worthwille 13 | DATE MM DD YY 10 B1 54 PLEASE REPLY BY |
| PERMIT TO INSTALL WITH SITE EVALUATION | | ERATE | PLEADE HEPLY DY |
| PERMIT ENGINEER COMMENTS: | OTHER | | <u></u> |
| ETHIN ENGINEEN COMMENTS. | | | |
| | • | | |
| | <u>:</u> | | |
| | | | |
| COMPLIANCE BRANCH REMARKS: | | | |
| Recommend issuance of a | permit to sperate | tor the line 3 | silo with a |
| bighouse emission control | system at Repub | lic Steel Corp. | This ogripment |
| was inspected on 10/18/3 | · · · · · · · · · · · · · · · · · · · | | |
| at the plant. During the | is inspection the bar | chause pulse is | of silston |
| was speration properly | and three in | |) |
| emissions on ac near | the book we from | 3 Plintence 31 | Time 7:05+ |
| emissions on or near | the englished her | . On nend the | special |
| eminime 16 be delete | A from the P/O be | rause testing + | to particulate |
| eminishes from this si | to be glouse recorded | not hocossall. | |
| | ••• | mede a der | usion of |
| On Jane 30, 1984 Repu | blic Strel Corp was | participa : | LTV Sterl |
| the nord to notify AC | I have informed th | le company in | writing of |
| the need to notify AC | Direw sunershipta | ed requesta | 10 Sunce |
| of this parmet This | , activity reports 3 | hould be cons | idered as |
| a determination of a | ceptable conipliand | e statis and | distinct |
| staff approval 2004 | | | |
| | They notif | ist Tom. "Ter | an en en en en en |
| The release 1-44-85 | ··· not n | uenam. | |
| from Tell - H | · · · · · · · · · · · · · · · · · · · | <i>F</i> : | |
| COMPLIANCE BRANCH RECOMMENDATIONS: | ☑ OPERATING AP ■ Continuous Section Sec | PŘOVAL П | DENIAL AS EXPLAINED |
| TAX EXEMPTION APPROVAL | | ITIONS NOTED ABOVE | |
| NAME David James Cha | DATE _/U/ | BI/34 DISTRICT E | ENGINEER HARE |
| DISTRIBUTION: White - Division Office; Canary - Pe | rmit File; Pink — District Office; Goldenrod | — Temporary Permit Copy | 9 5400 |

STATE OF MICHIGAN



NATURAL RESOURCES COMMISSION

THOUAS J ANDERSON E. F. CAPOLLO MARLENE J FLUHAHTY STEPHEN F. MONSMA O. STEWART MYERS RAYMOND POUPORE HARRY H. WHITELEY

JAMES J. BLANCHARD, Governor

DEPARTMENT OF NATURAL RESOURCES

STEVENS T. MASON BUILDING BOX 30028 LANSING, MI 48909

RONALD O. SKOOG, Director

Mr. George N. Krauss, Plant Manager Republic Steel Corporation Tubular Products Group 965 Wanda Avenue Ferndale, Michigan 48220

ALIG 8-1984

3

Dear Mr. Krauss:

This letter is in reference to your Permit to Install application for a lime storage bin with a baghouse control, located at 965 Wanda Avenue, Ferndale, Michigan. This application, identified as No. 353-84, has been evaluated and approved by the Air Quality Division, pursuant to the delegation of authority from the Michigan Air Pollution Control Commission.

This approval is based upon and subject to compliance with all administrative rules of the Commission and conditions stipulated in the attached supplement. Please review these conditions thoroughly so that you may plan for and take the necessary actions to ensure compliance with all of these conditions. Also note that Condition No. 1 requires you to apply, in writing, for a permit to operate within 30 days after completion of construction.

You are advised that contaminants discharged to the surface waters and/or groundwaters; materials disposed of on land; hazardous waste storage, treatment, and disposal; and resource recovery facilities must be approved by other divisions of the Environmental Protection Bureau, Department of Natural Resources. Additionally, your plant environment must be in compliance with all applicable requirements of the Departments of Public Health and Labor.

Approval of this permīt does not constitute a walver by the State of Michigan of its right to bring appropriate legal action against the applicant for failing to obtain the required permit prior to the commencement of construction.

Additionally, applications Nos. 351-84 and 352-84 are voided because the equipment was installed prior to August 15, 1967, and is not subject to the permit requirements.

Thank you for your cooperation. Please contact me if you have any questions regarding this permit.

Dhruman Shah, Engineer

Permit Section

Air Quality Division

517-322-1333

Sincerely.

DS:ckn Enclosure cc: Tom Maki



SEP 2 Control

September 24, 1979

Department of Natural Resources Air Quality Division P. O. Box 30028 Lansing, Michigan 48909

Attention: Mr. John Trout

Subject: Mr. Khuong Van Nguyen's Letter of August 15, 1979

Permits To Install # 517-79 & 518-79

Dear Mr. Trout:

As per our telephone conversation of today's date and the above subject letter, I have listed on the attached sheet the required information.

If you need any additional information, please do not hesitate to contact me.

Yours truly,

TUFF-KOTE, INC.

David Maysilles
Plant Manager

/v1

att:

List

Waiver for Permit Action

PERMITS TO INSTALL

- 1. Operating schedule: Regular Shift, approximately 8 hours per day, 5 days a week, 52 weeks a year.
 - 2. Asbestos 2% Solvent - 15% Limestone - 65% Asphalt - 18%
 - 3. Density of the finished product is 1.66; 9,400 gallons per day (approximately).
 - 4. Exhaust Stack information:

Sound Deadener - 21" diameter stack Warehouse - 22" " "

Code: stacks to be 1 & 1/2 times the building height.

22' Deadener stacks 33' Warehouse Stacks 517-79

5. Fabric Filter:

Section 6123 EPA Regulations, Woven Dacron - 8.56 ounces per square yard in weight. Supplier: United Fabric #2560, Griffin Engineering Company in Balwinsville, New York.

Air Flow Permeability of 30 cubic feet a minute per square foot or less.

Pressure drop across the collector not more than 4" water gate.

Disposal of dust from dust collector will be collected in steel drums. Discharge will be protected from leakage with a canvas hood.

6. The material will be re-used or disposed of at a permissable waste disposal.


| • | | | PE | RMIT EVAL | UATION S | HEET | | , | |
|---------------------------------|-------------------------|---------------------|----------------------|--------------------------------------|---------------------------------------|--------------|------------------|-------------------------|---------------------------------------|
| E.I. No Const. Co NSPS? Y | B371 mmenced? es (Coord | Yes (Reg | on date | ersightied) No 171 Vin 3 ta | RRD Other NESH | IAPS? Yes | Yes N (Coord. n | otified) | month |
| Control D | Attainm Attainm | ent Status | | rea rea A/C 2 CO 03 | P - Pr | m | S - S s U - U | econdary Unclassifie | |
| | Plant | Tota ls (TP | | | | ent covere | | | |
| | Potential | (5 years) | Allowed) 12-21-76 | Uncon. PPH | Expe PPH | cted TPY | Allow PPH | able TPY | Limit |
| TSP | | | | | <0.3 | <1.28 | 0.3 | 1.28 | 0.1/1000ll |
| 50 ₇ | | | | | · · · · · · · · · · · · · · · · · · · | | | | · · · · · · · · · · · · · · · · · · · |
| -NO _x | | | | | | | | | |
| YOC | | <u> </u> | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Basis for R for t shoul | lecommen his | type | mments p elow | raghor | se - e 000 | is a ff フ | 9000 99.9 | ·/· , T | ther sp cmi. |

EOP? Yes (No) Emissions Logged? Yes No PSD? Yes (No) PCD\$? Yes (No?)

Reviewed by: Linuar MelDate: 5-25-84-

| Production Rate Confidential Normal | Maximum |
|---|---------------------------------------|
| Normal Operating Schedule Confidential Hours/Day | 21 Days/Wk 7 Wks/Year 52 |
| Maximum Allowable Operating Schedule Hours/Day 21 | . / |
| Fuel type Usage Heat Content | % Sulfur |
| Collector Bypass Yes No Reasons - Conditions | |
| Process/Control Waste and Disposal | |
| Stack, Building & Dispersion Paramaters | · · · · · · · · · · · · · · · · · · · |
| ldg. 25', \$30" x30" | |
| Dispersion Yes (No) Comments: | |
| Emission Calculations allowed emi: = 650 x 0.0 = 0.3 We | 075 x 60 x 0.1x10 ⁻³ |
| - 1.28 4 | o V |

| EPA ID# | nio | 00 | 5 5 1 5 | 705 | | | | |
|--|------|---------|---------|---|--|--|------|--------|
| SITE NAME REPU | BLIC | STE | EL C | ORP. S | TEEL | 4 TUBES | DI | 1. |
| | | | | | | | | |
| NORLING FACTOR | 1. |) | _(>15 P | TS.=HIGH | MITRE P | OTENTIAL) | | |
| | | | | | | | | |
| III CEE EVE | | 111.000 | OULVETE | | | | | |
| WASTE TYPE | | | OUANTIT | | cu.ft. | =4 drums = | 220 | 0215.) |
| PESTICIDES | (5) | (1 00 | ca | ., | Cuitti | 4 4145 | | 8413.) |
| HEAVY METALS | (5) | TONS | CU.YDS. | AND DESCRIPTION OF THE PERSON NAMED IN COLUMN TWO | The same of the last of the la | The state of the s | PTS. | |
| PCB's | (5) | _ | >437 | >11,799 | >3500 | >192,500 | (5) | |
| ORGANICS | (4) | 875 | 437 | 11,799 | 3500 | 192,500 | | |
| SOLVENTS | (4) | 251 | 126 | 3,402 | 1001 | 55,055 | (4) | 7 |
| INORGANICS | (3) | 250 | 125 | 3,375 | 1000 | 55,000 | | |
| ACIDS | (3) | 163 | 82 | 2,214 | 651 | | (3) | |
| BASES | (3) | 162 | 81 | 2,187 | 650 | 35,750 | (5) | / |
| MIXED MUNI-WASTES | (2) | 76 | 38 | 1,026 | 301 | 16,555 | (2) | |
| UNKNOWN | (1) | 75 | 37 | 999 | 300 | 16,500 | 1 | |
| | | 21 | 11 | 297 | 81 | 4,455 | (1) | - |
| | | <20 | <10 | <270 | <80 | <4,400 | (0) |) |
| PILES (5) DRUMS BELOW GROUND (4) DRUMS ABOVE GROUND (3) SURFACE IMPOUNDMENTS (3) TANKS (3) LANDFILLS (2) LAND TREATMENT (2) UNDERGROUND (1) POPULATION (5) 10,000 or more (5) 1,000 - 9,999 (4) 1,000 - 2,999 (3) 101 - 999 (2) 1 - 100 (1) | | | | | | | | |
| NOT A HAZARDOUS WASTE SITE INFORMATION MISSING COMMENTS: | | | | | | | | |
| VEATENEY. | | | | 7-1 m. 3, 1, 1, 1, 1 | | | | |



| | 母子 | ') |
|---------|---------------|------|
| Ref # 🍕 | EDUBLIC STEEL | Cap. |
| | IE WAYNE | |
| // | 005515705 | • |

Site Name Republic STEEL COO. STEEL - TUBES

County WAYNE

CALL LOG

Verify Site Location and Size.

Verify # and size of each containment structure.

Is there existing exposure of people documented?

Is the site fenced? Is it secure?
If sampling was done, how were samples collected? i.e. random selective, surface grab, composite etc..

Has the fire marshall considered the site a fire hazard?

What type of companies used the site? (Origin of chemicals)

| DATE | AGENCY | PHONE NUMBER | PERSON CONTACTED |
|--------|--|--|---|
| 2-3 | MDPH-SAUTHFILLD | L313) 424 - 7187 | Bill CARISON |
| | Bill Stated trust the a | ntirk ancu is on a | municipal |
| | water supply any u | se of private wells | would more |
| J-3 | City of DETZOIT - FO - STATED that to 15 NOT INHAS for lowning by | brester DEOT. Ne pend en Paimon ited by From but youth (Not Set a | PARK is used ip for this purpose) |
| j - 16 | HAZEL FARE RACE TRUCK | (33)398-103 well was No lone in purposes - water Jety - wasn't sure Jety - wasn't sure when you other cisses. | gr used supply |

Detroit


| 1A. Cost Center: | | | | | | 2. TiDD Number: | | | |
|---------------------------------------|------------------------------------|----------------------|---------------------|-----------------------------|--------------|---|--|--|--|
| FT 13:0'5 | | F 058803010 | | | | | | | |
| 1B. Account Number: | TECHNICA | 2A. Amendment: | | | | | | | |
| FMI1103SA | | | | | | ☐ Administrative | | | |
| 3A. Priority: High | 3B. Key EPA Contact | : | | | | | | | |
| ☐ Mediur X Low | Name: | D. J0 | SIF | Phon | e: <u>31</u> | 2-886-0393 | | | |
| 4A. Estimate of Technical Hours: | 4B. Subcontract: | 4C. Estimate Subcont | e of tract Cost: | 5A. SSID Numbe | r: | 5B. CERID Number: | | | |
| 50 | | | | | - | MID005515705 | | | |
| 5C. EPA Site Name: | | | 5D. City/Cou | inty/State: | | | | | |
| REPUBLIC STE | EL CORPSTEEL | + TUBES | þ | FERNDALE/ | OAKL | AND/MI | | | |
| . — | | (Specify); | 7A. Activity | Start Date: | | stimated Completion Date: | | | |
| Letter Report | Formal Briefing Vove | | 03/1 | 4/88 | | 03/14/89 | | | |
| 8A. Type of Activity: | ☐.HRS Support ☐ En | nforcement Su | | raining | | FIT/SCAP Goal: Vill Deliverable Meet | | | |
| SI RCRA-SI | ☐ QA Support ☐ Pr | ogram Manage | ment 🔲 G | eneral Technical | _ | Unit-of the Goal? | | | |
| ESI | Special Studies | quipment Main | tenance A | ssistance | | ☐ Yes ☐ No. | | | |
| 9. General Task Descript | ion: PREPARE WOR | K PLAN F | OR SITE | INSPECTION | | | | | |
| ACTIVITIES | AT THE REPUBLIC BMIT THE WORK P | | | | D | | | | |
| | Y. SUBMIT A COP | | | | | | | | |
| AGENCY FOR | ITS FILES. | | | | | | | | |
| | | | | | | | | | |
| 10. Specific Elements: _ | | | | | 11. le | nterim Deadlines: | | | |
| SEE ATTACHE | D SHEET FOR SPE | CIFIC EL | EMENTS. | | | | | | |
| | | · | | | | | | | |
| <u> </u> | | | | | | - | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | Additiona | Scope Attached | | | | | |
| 12. Comments: | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | · | ···- | | | | | | | |
| 13. Authorizing: | | 7 | -∠ RPO | | 14. D | ate: | | | |
| Thomas | Hersteile | | □DPO | | 7 | 2-21-00 | | | |
| | (Signature) | | [PO | | 3 | 7-21-88 | | | |
| 15. Received by: | 7 | | Acce | · . | 16. D | ate: | | | |
| Welman (Va | well | | | pted with ptions (Attached) | 7/ | Siler | | | |
| (Contractor FITOM Signature) Rejected | | | | | | 1/01/00 | | | |


Distribution:


Sheet-1 (White)—FiTOM:Copy Sheet-2 (Green)—RPO Copy Sheet-3 (Canary)—ZPM, WDC Copy


Sheet 4 (Pink)—PO, WDC Copy Sheet 5 (Goldenrod)—CO, WDC Copy


F001A097























| IN 11E sec 35 | | | | | | IN 12 E | | | | | | |
|---------------|---|---------------|------|-----------|----|---------|-----|----|-----|----|----|---|
| | | | | | 1 | 4 | | | | | | |
| 6 | | | | * | 11 | 1 | + | | 1 | 1 | | , |
| 7 | | | | | 12 | | | | | | | |
| 18 | | # | | | 13 | 18 | | | | | | |
| 19 | | 9 | 1 22 | 23 | 24 | 19 | 209 | Þ | | | | |
| 30 | | | 27 | 26 | 25 | 30 | 29 | | | | | |
| 31 | | 33 | 134 | \$ 5000 B | 36 | 31 | 32 | 33 | 34 | 35 | 36 | |
| | 9 | 4 | 3 | 2 | 1 | 6 | 5~ | 4 | | | | |
| | | | 10 | 11 | 12 | 7 | 8 | 9 | | | | |
| | | | 15 | 14 | 13 | 18 | 12 | | | | | |
| | | Topic Control | | | | | | | | | | |
| | | | | | | | | | | | / | |
| | | | | | | 9.0 | | | | | | |
| | 5 | 11 | E | l | | | 15 | 17 | 2 E | | | |
| | | | | | l | | | | | | | |

#ead

116 ft 60 ft

132 ft 56 ft

12 ft

100 ft

60 ft

OVA

Radmini

02

Monitox

Explosimeter

Thurs 9A Tickefron

| | | lm; | | | | /1 | 1 2 mi | | | |
|----------------------|-------|------|-------|-------|--------------|--------------|--------------|--|---|--|
| Population Densities | ppmis | 2 | area- | # B | pop | | area | | | |
| x Ferndale | 7,088 | 3 | 1.73 | 3 / 1 | 2,248 | 251 | 3,72 | The state of the s | CAPTURE TO SERVICE AND ADDRESS OF THE PARTY | |
| XRoyal Oak | 6,274 | 1 | | + | | | .50 | | 3,137 | |
| X Madison Heights | 5,202 | 1- | | +- | | 2.99 | ,44 | | 2,287 | |
| X Hazel Park | 7,746 | 9,16 | 1.35 | 10 | ,434 | 14.61 | 2.15 | 16 | ,643 | |
| X Warren | 4,684 | 1- | ~ | 1 | | | . 44 | | ,066 | |
| x Detroit | 8,874 | 4.23 | | 5) | ALC: NA CORE | | 3.03 | | , 869 | |
| X Pleasant Ridge | 5,362 | - | | | | The same | | | 987 | |
| X Royal Oak Tup | 8,263 | _ | - | ~ | | A Control of | .09 | | | |
| / / | | | | | | | | 1000 | | |
| | | Tot= | | | | | Tot = 80,089 | | | |
| | | | | | | | | / | | |

=3.8 pers/hs4ld blogs = 21,076

10.20

